

B A
M
5/11/45

PRAXIS MEDICA

ET

CHIRURGICA

NOSOCOMIORUM

CIVITATIS LONDINI.

157
126

PRAXIS MEDICA

ET

CHIRURGICA

NOSOCOMIORUM

CIVITATIS LONDINI.

CUI ADDITUR.

Index Morborum & Remediorum.

LONDINI:

Apud S. CROWDER, J. COOTE,
G. GRIFFIN, et G. NICOLL.

M DCCCLXVII.

1767

PRAXIS MEDICA

CHIRURGICA

RECOGNITION

CIVITATIS ROMANA

CUI ADHUC

Indica Medica & Chirurgica

ROMANA

ROMANA

ROMANA

ROMANA

A
TABLE OF DIET.

FULL DIET.

Sunday and Thursday.

BREAKFAST. A pint of water-gruel.

Dinner. Half a pound of boiled beef, with greens.

Supper. A pint of broth.

Tuesday and Saturday.

Breakfast. A pint of water-gruel.

Dinner. Half a pound of boiled mutton, with greens.

Supper. A pint of broth.

A 3

Monday.

Monday.

Breakfast. A pint of milk-pottage.
Dinner. A pint of rice-milk.
Supper. Two ounces of cheese or butter.

Wednesday.

Breakfast. A pint of milk-pottage.
Dinner. Half a pound of boiled pudding.
Supper. A pint of water-gruel.

Friday.

Breakfast. A pint of milk-pottage.
Dinner. A pint of plumb-broth.
Supper. Two ounces of cheese or butter.

The patients upon Full Diet, shall have one loaf of bread per day.

Three

Three pints of beer per day, from
Lady-day to Michaelmas.

One quart per day, from Michael-
mas to Lady-day.

N. B. The loaf of bread weighs
fourteen ounces.



WOL

LOW DIET.

Sunday.

BREAKFAST. A pint of water-gruel.

Dinner. Two ounces of roasted veal, with a slice of bread-pudding.

Supper. A pint of broth.

Tuesday and Saturday.

Breakfast. A pint of water-gruel.

Dinner. Two ounces of boiled mutton, with greens, and a pint of broth.

Supper. A pint of broth.

Monday.

Breakfast. A pint of milk-pottage.

Dinner. A pint of rice-milk.

Supper. Two ounces of cheese or butter.

Wednesday.

Wednesday.

Breakfast. A pint of milk-pottage.

Dinner. A slice of boiled pudding.

Supper. A pint of water-gruel.

Thursday.

Breakfast. A pint of water-gruel.

Dinner. Two ounces of roasted veal, and a pint of rice-milk.

Supper. A pint of broth.

Friday.

Breakfast. A pint of milk-pottage.

Dinner. A pint of plumb-broth.

Supper. Two ounces of cheese or butter.

The patients upon Low Diet shall have one loaf of bread per day.

One quart of beer per day, from Lady-day to Michaelmas.

One pint per day, from Michaelmas to Lady-day.

M I L K D I E T.

Sunday, Tuesday, Thursday and Saturday.

BREAKFAST. A pint of milk-pottage, or water-gruel.

Dinner. A pint of plumb-pottage, and four ounces of bread pudding.

Supper. A pint of milk-pottage, or water-gruel.

Monday, Wednesday and Friday.

Breakfast. A pint of milk-pottage, or water-gruel.

Dinner. A pint of rice-milk.

Supper. A pint of milk-pottage, or water-gruel.

The patients upon Milk Diet, shall have one loaf of bread per day.

Three pints of drink per day, one part whereof shall be milk, and two water.

The patients upon Fish Diet, shall have fish for dinner on Mondays, Wednesdays and Fridays, if it can conveniently be had; if not, the Low Diet.

The patients upon Dry Diet, shall have two ounces of butter or cheese for breakfast, and the same for supper, every day in the week; and the Low Diet for dinner, but without broth or rice-milk on Tuesdays, Thursdays and Saturdays. Bread and beer as those upon Low Diet.

The patients upon Raisin Diet, shall have half a pound of raisins per day, as much bread as they can eat,
a quart

a quart of decoct. guaiac. fort. and
as much of the decoct. guaiac. tenue,
as they can drink.

The patients under Salivation, shall
have one quart of milk per day, and
half a pound of mutton, to be boiled
for broth.



Pharmacopœia

NOSOCOMII

DIVI BARTHOLOMÆI:

In vico vulgo dict

S M I T H F I E L D.

ACETUM scilliticum.

Æthiops Mineral.

Aq. Alex. Simpl.

Spt.

Calcis Simpl.

[Ph. Lond.]

Magis Comp.

Mentb. Piper. Simpl.

Vulg. Simpl.

Puleg. Simpl. & Spt.

Nuc. Mosch.

Vitriol. Camph.

B

Bolus

PHARMACOPOEIA

Bolus Aluminosus.

℞ Conf. ros. rub. ʒj.

Alum. rup. ʒss.

Syr. simpl. q. f. M.

F. bolus bis in die fumend.

Bolus e Guaiaco.

℞ Gum. guaic. ʒss.

Conf. Ros. rub. ʒj.

Syr. simpl. q. f. M.

F. bolus omni mane fumend.

Bolus Stomachicus.

℞ Piper. long.

Rad. zingib. ana gr. xv.

Conf. aurant. ʒj.

Syr. simpl. q. f. M.

F. bolus ter in die fumend.

Bolus e Rheo.

℞ Rad. rhej. torrefact. gr. xv.

Elect. e scord ʒss.

M. f. bol. pro re natâ fumend.

Bolus Roborans.

℞ Colophon. flav. ʒj.
 Rhabarb gr. v.
 Conf. rosar. rub. ʒfs.
 Syr. simpl. q. f. M.
 F. bolus bis in die sumend.

Bolus Saponacens.

℞ Sapon. alb. ʒfs.
 Ol. e bacc. juniper. gr. v.
 Syr. simpl. q. f. M.
 Bis in die sumend.

Bolus Sapon. cum Rheo.

Fit addendo rad. rhej. ʒfs.

Bolus Specificus.

℞ Merc. calcinat. gr. jfs.
 Philon. Lond. ʒj. M.
 Capiat omni nocte.

PHARMACOPŒIA

Bolus Terebintbinatus.

℞ Spt. terebinth. gr. xxv.
Conf. absinth. marit. ʒj. M.
F. bol. bis in die fumend.

Cataplasma Discutiens.

℞ Farin. avenac. q. v.
Fæcum cerevisiæ q. f. M.
Coque simul.

Cataplasma Saponaceum.

℞ Lix. sapon. ʒiij.
Ol. olivar. lb ss.
Aq. fluvial. tepesact. cong. j.
Farin. tritic. q. f. M.

Confectio Cardiaca.

Cons. Absinth. Marit.
e Cort. Aurant.

[Ph. Lond.]

Cynosbat.

Rosar. Rub.

Decoctum Album.

Decoct.

Decoēt. Altheæ.

℞ Rad. alth. ℥ij.

Coq. in aq. font. q. s. ad colat. ℔j

Adde syr. alth. ℥ij.

Bibat ℔ss. ter in die.

Decoēt. Cort. Peruviani.

℞ Cort. Peruv. ℥iv.

Coq. in aq. fontan. ℔viij. ad ℔iv.

Capiat ℥ij. ter in die.

Decoēt. Cort. Quercin.

℞ Cort. querc. ℔ss.

Granator. ℥iv.

Aq. fontan.

Lact. vacc. ana cong. j.

Coq. ad dimid. cola & edulcora.

Bibat ℥ij. ter in die.

Decoēt. Pectorale. Ph. Lond.

Decoct. Sarsaparill.

℞ Rad. sarsaparill. ℥ xij.

Aq. fontan. ℔ xij. coq. ad ℔ iv.

Bibat ℔ ss sexta quaque hora.

Decoct. Ulmi.

℞ Cort: inter: ulmi recent, ℥ iv.

Aq. fontan. q. f. coq. ad ℔ ij.

Bibat ℔ ss. ter in die.

Electarium Aperiens.

℞ Elect. lenitiv. ℔ ij.

Tartar. alb. ℥ iv.

Pulv. jalap. ℥ ij.

Ol. carui. ℥ ij.

Syr. ros. solut. q. f. M.

Sum. q. n. m. pro re natâ.

Elect. Aromaticum.

℞ Spec. aromat. ℥ vj.

Conf. e cort. aurant. ℔ j.

Syr. simpl. q. f. M.

Capiat q. n. m. ter. in die.

DIVI BARTHOLOMÆI.

7

Elect. Aromat. cum Cbalybe.

R Elect. arom. lb ss.

Limat. ferri ʒ ss. M.

Capiat q. n. m. ter in die.

Elect. Astringens.

R Nucis moschat. leviter torrefact.

Elect. e scord. ana ʒ iv.

Cret. alb. ppt. ʒ j.

Syr. simpl. q. s. M.

Capiat ʒ j. ter in die.

Elect. Cinnabar.

R Cinnab. fact. lb ij.

Gum. guaic. lb j.

Sapon. venet. lb ss.

Syr. simpl. q. s. M.

Capiat q. n. m. bis in die.

Elect. Hæmorrhoidale.

R Elect. lenitiv.

Flor. sulph. lot. ana p. æ.

Syr. simpl. q. s. M.

Sumat. ʒ j. bis in die.

Elect.

PHARMACOPŒIA

Elect. Hydragogum.

R Guttæ gambæ ʒij.

Tartar. vitriolat.

Pulv. zingib: ana ʒss.

Ol. Juniperi ʒij.

Syr. e spin. cervin. q. f. M.

Capiat ʒss. bis in septimanâ.

Elect. Lenitivum. Ph. Lond.

Elect. e Myrrhâ.

R Pulv. e myrrh. comp. ℥j.

Conf. absinth. marit. ʒiv.

Syr. simpl. q. f. M.

Capiat ʒij ter. die.

Elect. Nephriticum.

R Elect. lenitiv. ʒij.

Succ. glycyrrh. ʒifs.

Tereb. argent. ʒss.

Pulv. rhej. ʒij. M.

Capiat ʒj. omni mane.

Elect.

DIVI BARTHOLOMÆI.

Elect. Purgans.

℞ Pulv. jalap. ℥j.

zingib. ʒj.

Syr. e spin. cervin. q. s. M.

Capiat ʒss. bis in septimana.

Elect. e Scordio.

[Ph. Lond.]

e Scammonio.

Elect. Specificum.

℞ Merc. crud. ʒj.

Conf. ros. R. ʒiss.

Syr. simpl. ʒss.

Pulv. zingib. ʒij. M.

Capiat ʒss. bis in die.

Elect. e Stanno.

℞ Ras. stanni ℥j.

Conf. absinth. marit. ʒij. M.

Capiat ʒss. omni mane.

Elaterium.

Elaxir

PHARMACOPŒIA.

*Elixir Purgatorium.**Vitriol Acid.**Emplastrum Attrahens.**Commune.**cum Merc.**Cephalic.**e Cymina.*

[Ph. Lond.]

*e Galbano.**Roborans.**e Sapone.**Stomachicum.**Vesicatorium.**Emplastrum Ischiadicum.*

℞ Picis Burgund. ℥iv.

Euphorb. ʒj. M.

Enema Anodynum.

℞ Gelat. amyli ℥ij.

Tinct. styptic. ʒj.

Extr. theb. gr. ij. M.

DIVI BARTHOLOMÆI.

Enema Commune.

℞ Juscul. ping. ℔ss.
Ol. lini 3iij.
Sal. commun. ʒss. M.

Enema Oleosa.

℞ Ol. olivar. ʒiij.
Tinct. theb. gt. xl. M.

Enema Terebinth.

℞ Tereb. venet. ʒss.
Vitell. ovi q. s.
Juscul. ping. ℔ss. M.

Extractum Catharticum.

Lign. Campech.

Jalap.

[Ph. Lond.]

Peruvian.

Thebaic.

Fetus Communis.

Fetus

Fotus Emolliens.

℞ Fol. Malvæ.
Altheæ.
Flor. Sambuc. ana Mj.
Sem: lini.
Fenugr.
Cymin ana ʒij.
Coq. in aq. font. ad ℔ij.

Fotus Papaveris.

℞ Capit. papav. alb. ʒij.
Aq. font. ℔ij.
Coq. ad ℔j.

Fotus Quercinus.

℞ Cort. querc. ʒifs.
Aq. fabror. ℔iiij.
Coq. ad col. ℔ij.
Cui adde alum. rup. ʒij.

Flores Chamæmel.

Martial. Pb. Lond.

Gargarisma

Gargarisma Commune.

℞ Decoct. hord. ℔j.
Acet. vin. alb. ℥ij.
Mel. rofar. ℥j.
Tinct. myrrh. ℥ss. M.

Gargarisma e Contrayerva.

℞ Caricar. ℥j.
Rad. contray. pulv. ℥ss.
Coq. in aq. font. q. s. ad colat. ℥xij.
Fit. interdum cum aceto ℥j.

Gargarisma ad Paralyfin.

℞ Rad. pyreth. ℥j.
Coq. in aq. font. q. s. ad ℔j.
Spt. fal. ammon. ℥ss. M.

Haustus Cardiacus.

℞ Conf. cardiac. ℥ss.
Jalap. commun. ℥ij.
Capiat sextâ quaque horâ,

C

Haust.

Haust. Hypnoticus.

℞ Aq. fontan. pur ʒiſs.
alexit ſpt.
Syr. e mecon. ana ʒij.
Tinct. theb. gr. xv. M.

Capiat omni nocte.

Haust. Oleofus.

℞ Ol. olivar.
Julap. com (ſine fyr.) ana ʒj.
Syr. ex alth. ʒij.
Gum arab. ʒſs. M.

Capiat ter in die.

Interdum cum Syr. e mecon. ʒij.
Loco Syr. alth.

Haust. Oleos cum Manna.

Fit addendo mann. ʒiij.

Infus. Amar. Simpl.

[Ph. Lond.]

Purgans.

Infusum

Infusum Lenitivum.

℞ Infus. senæ ℥ij.
 Sal. cathart. amar. ℥iij.
 Syr. ros. solut. ℥ss M.

Capiat bis in septimanâ.

Infus. Senæ Comm. Ph. Lond.

Infus. Cascarillæ.

℞ Cort. cascarilla ℥j.
 Super affunde aq. bullient. q. s.
 ad colat. ℔j.

Capiat ℥iij bis in die.

Infusum Menthæ.

℞ Fol. menth. ficc. ℥j.
 Aq. menth. vulg. simpl. bull. ℔j.
 Postquam refrixerit liquor. cola.

Capiat coch. j. omni horâ.

Infusum ad Paralyfin.

℞ Rad. raphan. rust. incisi.
 Sem. sinap. contusi ana ℥ij.

Aq. bullient. ℥ij.

Stent. simul in loco calido, &
vase clauso, ad horas xij.

Colat. adde aq. menth pip. spt.
℥ij.

Capiat ℥iv bis in die.

Julepum Commune.

R Aq. alex. simpl.

fontan pur. ana ℥iv.

Spt. vin. ten. ℥iss.

Syr. alb. ℥ss. M.

Julep. e Creta.

R Jul. e cret. (Ph. Lond.) ℥j.

Aq. nuc. mosch. ℥j. M.

Capiat ℥iij. sextâ quaque horâ.

Julep. Hydragogum.

R Julep. com. (fine syr.) ℥vj.

Tartar. emetic. ℥ss.

Syr. e spin. cervin. ℥ij. M.

Capiat coch. j. singulis horis.

Julep

Julep. e Mentha.

R Aq. menth. vulg. simpl. ʒ viij.

Conf. rosar. rub. ʒj.

Elix. vitriol. acid. ʒj. M.

Capiat coch. iij. sextâ quâque horâ.

Julep. e Scordio.

R Julep. com. (fine fyr.) lbj.

Elect. e scord. ʒvj. M.

Capiat coch. iij. post singulas sedes
liquidas.

Julep. Volatile.

R Sal. vol. C. C. ʒij.

Aq. font. lbj.

Aq. alex. spt. ʒj.

Sacchar. alb. ʒfs. M.

Capiat coch. iv. ter in die.

Julep. Volat. Dilutum.

Fit. addendo priori aq. font. ʒ viij.

Lac Ammoniac. Pb. Lond.

Capiat coch. ij. ter in die.

Lac. Ammon. cum Oleo.

R Lact. ammon. ʒvj.

Ol. olivar. ʒiij. M.

Capiat coch. ij ter in die.

Linctus Communis.

R Conf. cynosb. ʒvj.

Ol. olivar.

Syr. papav. errat. ana. ℥ifs.

Spt. vitriol. q. f. ad grat. acid.

Capiat coch. minimum urgente tussi.

Linct. Commun. cum Syr. e Meconio.

R Conf. cynosb. ʒvj.

Ol. oliv. ℥ifs.

Syr. papav. errat.

e mecon. ana. ʒxij.

Spt. vitriol. q. f. ad grat. acid.

Capiat. coch. minimum urgente tussi.

Lobob.

Loboch.

℞ Sperm. ceti.
Conf. Ros. R. ana ʒj.
Syr. pectoral. ʒij. M.
Cui interdum additur myrrh. ʒss.
Vel. nitri ʒiij.
Capiat coch. minimum urgente tussi.

Loboch cum Syr. e Meconio.

℞ Sperm. ceti.
Conf. ros. rub.
Syr. pectoral.
e Meconio ana ʒj. M.
Capiat coch. minimum urgent. tussi.

Linimentum Oleosum.

℞ Ol. e pedib. bovin. lbj.
Terebinth. venet. ʒij.
Sapon. alb. ʒiij. M.

*Liniment. Saponaceum. Pb. Lond.**Liniment. Volatile.*

Interdum cum tinct. theb. parte
quartâ.

Lixivium Diureticum.

℞ Sal. tartar.

Sacch. alb. ana ℥ss.

Solve in aq. menth pip. simpl.

cong. j.

Adde aq. menth pip. spt. ʒvj.

Capiat oz. ij. ter in die.

Lixivium Saponaceum.

[Ph. Lond.]

*Magnesia Alba.**Mercurius Alkalizatus.*

℞ Argent. viv. ʒiv.

Cret. alb. p. p. ʒvj.

Simul optime terantur.

*Mercurius Calcinatus.**Dulc. Sexies Sublimat.**Mel. Rosarum.**Mithridatium.**Mistura*

Mistura Ammoniacalis.

℞ Lact. ammon. oz. xij.
Syr. scillitic. oz. iv. M.
Capiat coch. j. urgente dyspinæa.

Mistura Antiemetica.

℞ Mistur. salin. ℥ss.
Tinct. theb. ʒj. M.
Capiat coch. ij. sextâ quâque horâ.

Mistura Aphrodisiaca.

℞ Merc. corros. sublim. gr. xij.
Sp. vin. ten. ʒxxiv.
Sponte solvatur mercurius.
Capiat coch. j. bis in die in aq. font.

Mistur. Expectorans.

℞ Infus. cascaril. ℥ss.
Oxymel. scillit. ʒ. j. M.
Capiat coch. iij. ter in die,
Cum ol. lini. ʒivf. mistur. expect.
cum oleo.
Addendo elix. paregor. ʒj. mistur.
expector. anodyna.

Mistura Hysterica.

℞ Lact. Ammon. ℥j.

Spt. vol. foet. ʒfs. M.

Capiat coch. ij. pro re natâ.

Mistura ex Ol. Juniperi.

℞ Ol. e bacc. juniper. ʒj.

Sacch. alb. ʒij.

Julep. com. ℥fs. M.

Capiat coch. ij. urgente singultu.

Interdum fit cum tinct. theb. gr.

xl.

Mistura ex Olibano.

℞ Gum. oliban. ʒj.

Julep. commun. ℥ifs. M.

Capiat coch. iij. bis in die.

Mistura Oleosa.

℞ Julep. vol. dil. ʒxij.

Ol. Olivar. ʒvj.

Sp. sal. ammon. ʒj.

Syr. simp. ʒijfs. M.

Capiat coch. iij. ter in die.

Mistura Salina.

℞ Sal. tartari ℥jss.

Succ. limon. ℥xviij.

Aq. alex. spt. lbss.

fontan. lbij.

Sacch. alb. ℥iij. M.

Capiat coch. iij. ter in die.

Mistura Salin. cum Rheo.

Fit addendo rhabarb. gr. vj. singul.
dos.

Mistura e Sperm. Ceti.

℞ Sperm. ceti ℥ij.

Aq. pur. ℥vj.

Syr. simpl. ℥ss. M.

Capiat coch. ij. urgente tussi.

Fit interdum addend. nitr. ℥ij.

Interdum cum syr. e mecon. loco
syr. simpl.

Nitrum Purificatum.

Ol. e Bacc. Juniperi..

[Ph. Lond.]

Terebinth.

Oxymel Scilliticum.

Philon. Lond.

Pilula Anodyna.

℞ Extract. theb. gr. j.

Sapon. venet. gr. v. M.

Capiat omni nocte.

Pil. Corrob.

℞ Pulv. rhab. ℥j.

Tereb. coct. ℥iij. M.

Capiat 3j bis in die.

Pil. Ecphracticæ Pb. Lond.

Capiat 3j. bis in die.

Pil. Fœtida.

℞ Assa fœt. lbj.

Aloes Socot. ℥iv.

Pulv. zingib. lb ss.

Syr. simp. q. f. M.

Capiat 3j. bis in die.

Pilula Gummosa.

Capiat ℥j. bis in die.

Pilula Mercur.

Capiat ℥j. omni mane.

Pilula Purg. cum Mercurio.

℞ Extract. cathart. ℥j.

Merc. dulc. sexies sublim. ℥fs.

Syr. e spin. cervin. q. f. M.

Bis in septimana fumend.

Pilulæ Scilliticæ.

℞ Scil. recent.

Gum. ammon.

Piper. Jamaic. ana p. æ.

M. e singul. drachm. f. pil. num.

xij.

Capiat ij. bis in die.

Potio Capivi.

℞ Balf. capivi. ʒiij.
Ol. juniperi, gtt. xxx.
Mucilag. gum. Arab. q. f.
Aq. fontan. ʒvj.
Spt. vin. ten.
Syr. ex alth. ana ʒj. M.

Capiat coch. ij. ter. in die.

Potio Peruviana.

℞ Balf. Peruvian. ʒj.
Mucilag. gum. Arab. q. f.
Julap. com. ʒifs. M.

Capiat bis in die.

Pulvis Æthiop. cum Rheo.

℞ Æthiop. mineral. lb j.
pulv. rhej. ʒvj.
zingib. ʒij. M.

Doses ʒfs. ad ʒfs. bis in die.

Pulv. e Bolo C. cum et sine opio.
Ph. Lond.

Pulv. Doveri.

℞ Opij pulv.
 Ipecac. pulv.
 Glycyrrh. pulv. ana ℥j.
 Nitri purificat.
 Tatar. vitriolat. ana ℥jv. M.
 Dos. ℥ss. omni nocte.

Pulv. e Myrrh. Comp. Ph. Lond.

Pulv. Pacificus.

℞ Pulv. rhabarb. ℥ss.
 Extract. theb. gr. j. M.
 Fiat bolus omni nocte sumendus.

Pulv. Purgans.

℞ Pulv. scammon.
 jalap.
 Fol. fenæ. ana p. æ.
 Addendo merc. dulc. sex sublim. par-
 tem quartam.
 Fit pulv. purg. cum mercurio.

Pulv. Sternutatorius. Ph. Lond.

Pulv. Vermifugus.

℞ Flor. tanacet.

Sem. fanton. ana ʒ iij.

Salis martis ʒj. M.

Capiat ʒj ter in die.

Sal. Absinth.

Cathart. Amar.

C. C. Vol.

[Ph. Lond.

Diuret.

Martis.

Tartari.

Vol. Ammon.

Serum Aluminosum.

Serum

Serum Sinapeos.

℞ Lact. vaccin.

Aq. fontan. pur. ana ℥j.

Sem. finap. contus. ʒj.

Coque ut fiat serum, bene a coagulo
separandum.

Capiat ℥ss. bis in die.

Sinapisma.

℞ Sem. finap.

Mic. pan. recent. ana p. æ.

Acet. optim. q. f. M.

Species Aromaticæ.

℞ Canell. alb.

Calam. aromat. ana ℥ij.

Zingib.

Piper. long. ana ℥j. M.

Spt. Lavend.

[Ph. Lond.]

Sal. Ammon.

Spt. Volat. Fætidus.

[Ph. Lond.]

Vitriol. Fortis.

Syr. ex Althea.

e Meconio.

Papaver errat.

[Ph. Lond.]

Rosar. solut.

Simplex.

Scilliticus.

Tabellæ Cardialgicæ. Ph. Lond.

Tartarum Solubile. Ph. Lond.

Tinct. Fuliginis. Ph. Lond.

Capiat zij. bis in die.

Tinct. Cantharid.

Guaic. Vol.

[Ph. Lond.]

Myrrh.

Rhab. spt. et Vinosa.

Tinct.

Tinct. Rosarum.

Sacra.

[Ph. Lond.]

Serpent. Virg.

Thebaic.

Tinctura Senæ.

℞ Fol. senæ, ℔j.

Piper. Jam. ʒij.

Spt. vin. ten. cong. j. f. Ra.

Adde fyr. ros. solut. ʒviij.

Vinum Aloet. Alkalinum. Ph. Lond.

Capiat. ʒj. omni mane.

Unguentum Ægyptiac.

Album.

[Ph. Lond.]

Camph.

ex Althea.

Unguentum

Unguentum Ceruleum.

- ℞ Axung. porcin.
Argent. viv. ana p. æ.
Tereb. venet. q. f. M.

Unguentum Citrinum.

- ℞ Argent. vivi, ℥j.
Spt. nitri fort. ℥ij.
Digere super arenam ut f. solut.
Quæ calidissima adhuc misceatur
cum
Ol. oliv. ℔j.
M. strenue agitando in mortar. mar-
moreo.

Unguentum ad Lepram.

- ℞ Rad. lapath. acut. ℔iv.
Coque et colat. fortiter expressæ
adde
Picis liquid. ℔ij.
Ol. olivar. ℔iij.
Sulph. viv. ℔ss. M. f. unguent.

Unguentum

Unguentum e Pice.

[Ph. Lond.]

Sambuc.

e Sulph. sine Efs. Limon.

PHARMA-

Printed and Published by
39

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

London

Printed by

W. B. E. & Co. Ltd.

Pharmacopœia

NOSOCOMII

A DOMINO GUY.

CIV. LOND. INSTITUTI.

Aq. Purgans.

℞ Aq. purgan. dulc. ℥iij.

Zingiberis, ʒj.

Coq. ad dimidium, deinde adde

Mannæ ʒj. cola.

Mane bis terve in septimana fumend.

Aq. Rosar. Damasc.

Sapphirina.

[Ph. Lond.]

Bals. Sulph. Simpl.

Bolus

Bolus Aromaticus.

℞ Nuc. mosch. torref. ʒj.
Elect. e scord. ʒij.
Syr. e mecon. q. s.

Fiat bol. bis die sumend.

Bolus Balsamicus.

℞ Balf. gilead. ʒj.
Pulv. glycyrrh.
Conf. cynosbat. ana ʒss.
Syr. simpl. q. s.

Fiat bolus bis die sumendus.

Bolus e Camphora.

℞ Conf. cynosbat. ʒj.
Camph. pulv. gr. x.
Syr. simpl. q. s.

Fiat bolus ter. die sumend.

Bolus Cardiacus.

℞ Pulv. e. chel. C. C.
Rad. serpent. virg.

Pulv.

Pulv. contrayerv. C. ana gr. x.

Pulv. croci gr. v.

Syr. carioph. q. f.

Fiat bolus sexta quaque horâ fumend.

Bolus Cardiacus cum Theriac.

R Pulv. alexit.

Ther. androm. ana ʒj.

Syr. simpl. q. f.

Fiat bol. sextâ quaque horâ fumend.

Bolus Cephalicus.

R Conf. rorismarin. ʒj.

Pulv. castor. R. gr. xv.

Syr. simpl. q. f.

Fiat bolus ter die fumendus.

Bolus Croceus.

R Conf. rosar. gr. xv.

Pulv. croc. ʒj.

Syr. simp. q. f.

Fiat bolus sextâ quaque horâ fumend.

Bolus e Cinnabare.

℞ Conf. cort. aurant. gr. xv.

Cinnab. antimon. gr. xxx.

Syr. simpl. q. f.

Fiat bolus bis die sumendus.

Bolus Hæmorrhoid.

℞ Elect. lenitiv. ʒij.

Flor. sulphur. ʒij.

Syr. simpl. q. f.

Fiat bolus bis die sumendus.

Bol. e Flor. Martial.

℞ Conf. rorismarin. ʒfs.

Flor. mart. gr. xv.

Fiat bolus bis die sumend.

Bolus Mercurialis.

℞ Conf. cort. aurant. ʒj.

Mercur. alkalizat. ʒfs.

Syr. simpl. q. f.

F. Bolus bis in septimana. sumend.

Bolus Mercurialis.

℞ Mercur. dulc. sexies sublim. gr.
xv.

Conf. rofar. 3 fs.

Fiat bolus ter septimana fumendus.

Bolus Emeticus.

℞ Conf. rofar. rubr. ℥ij.

Mercur. emetic. flav. gr. viij.

Fiat. bolus pro re nata fumendus.

Bolus e Guaiaco.

℞ Conf. e cort. aurant.

Gum. guaiac. pulv. ana gr, xv.

Syr. simpl. q. f.

Fiat bolus bis die fumend.

Bol. e Guaiac. cum Mithridat.

℞ Pulv. gum. guaiac. gr. x.

Mithridat. ℥ij.

Syr. simpl. q. f.

Fiat bolus.

Bolus e Moscho.

℞ Conf. rorismarin. ʒj.

Mosch. opt. gr. x.

Syr. simpl. q. f.

Fiat bolus bis die sumendus.

Bolus e Myrrha.

℞ Conf. cort. aurant.

Gum. myrrh. pulv. ana ʒj.

Sal. absinth. gr. x.

Syr. simpl. q. f.

Fiat bolus ter die sumendus.

Bolus Pectoralis.

℞ Sperm. ceti. ʒss.

Pulv. e tragacanth. ʒj.

Syr. simpl. q. f.

Fiat bolus ter die sumendus.

Bol.

Bolus Pectoral. Astringens.

℞ Pulv. gum. tragacanth.
Elect. e scord. ana 3 fs.
Syr. e meconio q. f.

Fiat bolus bis die sumendus.

Bolus Purgans.

℞ Gutt. gambog. gr. xv.
Crem. tartar. gr. x.
Pulv. zingiber gr. v.
Syr. simpl. q. f.

Fiat bolus bis in septimanâ sumend.

Bolus e Rhabarbaro.

℞ Elect. e scord. 3 fs.
Pulv. rhei gr. xv.
Syr. simpl. q. f.

Fiat bolus bis die sumendus.

Bolus e Stanno.

℞ Conf. cort. aurant. 3j.
Pulv. stanni 3 fs.

E 3

Syr.

Syr. simpl. q. f.

Fiat bolus bis die sumendus.

Bolus ad Strumas.

℞ Spong. calcinat. 3 fs.

Conf. e cort. aurant. 3 fs.

Syr. simpl. q. f.

Fiat bolus ter die sumendus.

Bolus Terebinthinatus.

℞ Ol. terebinth. æth. 3 fs.

Mel. purissim. 3 fs.

Pulv. glycyrrh. q. f.

Fiat bolus bis die sumendus.

Cerat e Lap. Calamin.

℞ Axung. porcin.

Ceræ. flavæ ana ℥iv.

Ol. olivar. ℥ij.

Lap. calamin. ppt. ℥iv. 3 iij. M.

Fiat ceratum.

Collyrium

Collyrium Aluminosum.

℞ Aq. rofar. damas. ℥vj.
Aluminis. ʒj. M. pro usu.

Conf. Alkermes.

Cardiaca.

Conserv. e Cort. Aurant.

Cynosbat.

[Ph. Lond.]

Rorismarin.

Rosar. Rubr.

Decoctum Album.

Cujus bibat æger ad libitum.

Decoctum Astringens.

℞ Cort. peruv. ʒj.
Flor. balauft.
Cort. granator.
Rad. tormentill. ana ʒss.
Contus. coque in aq. font. q. s. ad
℔ ij.

Colat.

Colat. capiat cochl. decem bis terve
in die.

Decoct. Comm. pro Enemat. Pb. Lond.

Decoct. Dieteticum.

℞ Lign. et cort. guaiac. ana ℥j.

Rad. glycyrrh. ℥ss.

Sem. coriand. ℥ij.

Coque in aq. font. cong. 17 ad
cong. 10.

Colat. capiat ℥ss. ter in die.

Decoct. Febrifugum.

℞ Cort. peruv. pulv. ℥ij.

Coque in aq. font. ℥iij. ad ℥j.

Colat. adde spt. vin. ten. q. s.

Decoct. Pectorale.

℞ Rad. glycyrrh. cont. ℥ij.

Coq. in aq. hord. ℥ij. ad ℥iss.

Colat. capiat. ℥iv. frequenter.

Decoct.

Decoct. Ulmi.

R Cort. ulmi. contus. ℥j.

Coq. in aq. font. q. s. ad colat.

cong. 7.

Capiat. ℥ss. ter die.

Elect. Astringens.

R Elect. e scordio.

Sang. dracon. pulv. ana 3vj.

Alum. commun.

Terr. japon.

Cort. cinnam. ana 3iiss.

Syr. simpl. q. s. f. elect.

Capiat 3iss. bis in die.

Elect. Alterans.

R Elect. lenitiv. 3j.

Gum. guaiac.

Æthiop. mineral ana 3ss.

Syr. simpl. q. s. f. elect.

Capiat 3j. bis in die.

Elect.

Elect. Chalybeatum.

℞ Elect. stomach. ℥iiss.
Ferrugin. ppt ℥fs.
Syr. simpl. q. s. f. elect.

Capiat 3j. bis in die.

Elect. Lenitivum. Ph. Lond.

Dosis 3ij. pro re nata.

Elect. Peruv. cum Alumine.

℞ Pulv. cort. peruv. ℥j.
Alum. commun. 3ij.
Syr. simpl. q. s. f. elect.

Elect. e Petrol. Barbadosense.

℞ Mellis. opt. ℥iv.
Gum. olibani pulv.
Rad. enul. C.
Petrol. barbad. ana ℥ij.
Syr. simpl. q. s. f. elect.

Capiat 3ij. bis in die.

Elect.

Elect. e Scammonio. Ph. Lond.

Dosis ʒj. bis die in septimanâ.

Elect. Scorbuticum.

℞ Rad. ari condit.

Canell. alb. ppt. ana ʒj.

Syr. simpl. q. s. f. elect.

Capiat ʒj. bis in die.

Elect. Stomachicum.

℞ Rad. acori.

zedoar.

galangal.

Cort. aurant. ficut. ana ʒ ss.

Syr. simpl. q. s. f. elect.

Capiat ʒ iss. bis in die.

Elix. Aloes.

Stomachicum.

[Ph. Lond.]

Vitriol. Dulc.

Capiat gtt. 40 bis in die.

Elix.

Elix. Vitriol. Mynsicht.

Dosis gtt. xxx. bis in die.

Emplast. Anodynum.

℞ Emp. e cymino.

Ceræ. flav. ana ʒj.

Extract. opii.

Camphor. ana ʒ ij.

℥. emplastrum secundum artem.

*Emplast. Attrahens.**Cephalicum.*

[Ph. Lond.]

Commune.

cum Gum.

Mercuriale.

Emplast. Corroborans.

℞ Emplast. com. ℔ x.

Picis Burgund.

Calcanth. rubr. ana ℔ j.

Ol. olivar. ʒ ij. M. S. A.

Emplast.

Emplast. e Cymino. Ph. Lond.

Emplast. Ischiadicum.

℞ Picis burgund. ℥iv.
Euphorb. pulv. ʒiss.
Terebinth. venet. q. f.

Fiat emplastrum.

Emplast. Volatile.

℞ Sal. volat. ammoniac. ʒj.
Camphor. pulv. ʒij.
Terebinth. q. f.

Fiat emplast.

Enema Astringens.

℞ Decoct. astring. ℥iv.
(Sine cort. Peruv.)
Elect. e scordio, ʒfs.

Fiat enema.

Enema Astringens cum Opio.

℞ Enem. astring. ℥vjss.

Opī purif. gr. ij.

Fiat enema.

Enema Anticholicum.

℞ Decoct. comm. ℥x.

Ol. olivar. ℥iij.

Hieræ picræ ℥j.

Sal. cathart. amar. ℥j.

Fiat enema.

Enema Commune.

℞ Decoct. comm. ℥x.

Ol. olivar. ℥iij.

Syr. e spin. cerv. ℥j.

Fiat enema.

Enema ex Oleo.

℞ Decoct. com.

Ol. olivar. opt. ana ℥vij.

Fiat enema.

Enema

Enema Terebinth.

℞ Decoct. com. ℥xij.
Terebinth. ven. in vitel. ovi solut.
3 fs.
Elect. lenitiv. 3 fs.
Fiat enema.

Extract. Cathartic.

Gentian.

[Ph. Lond.]

Thebaic.

Fotus Astringens.

℞ Cort. querc. ℔ij.
Flor. balauſt. ℔fs.
Coq. in aq. font. ℔iij. ad dimid.
cola.
Et adde alum. com. 3vj.
Fiat fotus.

Fotus Communis.

℞ Fol. abfinth. com.

laurin.

rorismarin. ana M. iv.

Coq. in aq. font. q. s. ad cong. j.

Add. spt. vin. ℥j.

Fiat fotus.

Fotus papav. cum aceto.

℞ Capit. papaver. alb. ℥ij.

Coq. in aq. font. q. s. ad. ℥j.

Cui adde aceti ℥iss. M.

Fiat fotus.

Gargarismus Alexipharmacus.

℞ Decoct. pectoral.

Tinct. alexit. p. æ.

Fiat gargarismus.

Gargarismus Aluminosus.

℞ Aq. hord. ℥j.

Mel. rosar. ℥iij.

Spt. vitriol. ten. q. s. M.

Gargarismus Volatilis.

℞ Infus. paralytic. ℔j.
Spt. sal. ammon. ʒj. M.

Haustus Anodinus.

℞ Philon. Lond. gr. xxx.
Aq. menth. f. ʒx.
Piper. Jamaic.
Spt. vini ana ʒij,
Fiat haustus.

Haustus Diureticus.

℞ Haust. stomach. ʒij.
Sal. diuretic. ʒij. M.
Fiat haustus bis die sumendus.

Haustus Emeticus.

℞ Pulv. ipecacoan. gr. xv.
Oxymel. scillitic. ʒvj.
Aq. alexit. simpl. ʒj. M.

Haustus. Epilepticus.

℞ Pulv. valerian. ʒ iſs.

Aq. alexit. ſimp. ʒ iſs.

Sacch. alb. ʒj. M.

Fiat haustus ter die ſumendus.

Haustus Nephriticus.

℞ Terebinth. venet. ʒ ſs.

Mellis q. ſ. ut ſ. ſolutio.

Cui ad. aq. menth. v. ſ. ʒ iſs.

piper. Jamaic. ſpt. ʒ iij.

Fiat haustus bis die ſumendus.

Haustus Oleosus.

℞ Ol. lini. S. I. ʒ ſs.

Aq. alexit. ſimpl. ʒj.

Spt. ſal. ammon. gtt. x.

Syr. ſimp. ʒ ij.

Fiat haustus bis die ſumendus.

Haust.

Haustus Oleosus Purgans.

℞ Ol. Amygd. dul.
 Aq. alexit. simpl. ana ℥j.
 piper. Jamaic. spt. ʒiij.
 Sal. cathart. ℥j.

Fiat haustus.

Haustus ex Olibano.

℞ Oliban. pulv. ʒfs.
 Mellis. q. s. ut fiat solutio.
 Cui adde aq. alexit. simpl. ℥j.
 Aq. piper. Jamaic. spt.
 Syr. bals. ana ʒij. M.

Fiat haustus bis die sumendus.

Haustus Purgans.

℞ Infus. fennæ ʒiij.
 Aq. piper. Jamaic. spt. ʒfs.
 Syr. e spin. cerv. ℥j.

Fiat haustus.

Haust.

Haustus Refrigerans.

℞ Sal. nitri.
Sacch. alb. ana ℥ij.
Aq. alexit. simpl. ℥iss.
piper. Jamaic. spt. ʒij. M.
Fiat haustus.

Haustus Saponaceus.

℞ Sapon. venet. ʒj,
Aq. alexit. simpl. ℥ij.
piper. Jamaic. spt. ℥ss.
Spt. lavend. C. gtt. xx.
Syr. simpl. q. s.
Fiat haustus bis die sumendus.

Haustus Stomachicus.

℞ Sal. tartar. ℥j.
Succ. Limon. ℥ss.
Aq. menth. vulg. simpl. ʒj.
piper. Jamaic. spt. ℥ss.
Fiat haustus ter die sumendus.

Haustus

Haustus Sulphuratus.

℞ Aq. alexit. simpl. ʒij.

fulphurat. ʒfs.

Syr. simpl. ʒij.

Fiat haustus ter die sumendus.

Haustus Volatilis.

℞ Sal. volat. ammon. gr. xv.

Aq. alexit. simpl. ʒij.

Syr. simpl. ʒj. M.

Fiat haustus.

Hiera Picra. Ph. Lond.

Infusum Amarum.

℞ Summit. abfinth. roman.

centaur. minor.

Rad. gentian. ana ʒj. infunde in

aq. font. q. s. ad colat. ℔iij.

Cui adde spt. vini. ten. ʒvj.

Dosis ʒiv. bis in die.

Infusum

Infusum Chamæmeli.

℞ Flor. cham. M. j.
Infunde in aq. bull. q. s. ad colat.
℔ ij.
Cui adde spt. vin. ten. ℥ iv.
Dosis ℥ iv. bis in die.

Infusum Paralyticum.

℞ Rad. raphan. rustic.
Sem. finap. contuf. ana ℥ iij.
Infunde in aq. bull. ℔ ij.
Colat. adde spt. vin. ten. ℥ iv.
Dosis ℥ iij. bis in die.

*Infusum Sennæ Ph. Lond.**Infusum Valerianæ.*

℞ Rad. valerian. syl. contuf. ℥ j.
Infunde in aq. bull. ℥ xij.
Colat. adde spt. lavend. C. ʒvj.
Dosis ℥ iij. bis terve in die.

Julipum

Julipum e Creta Ph. Lond.

Julepum Cardiacum.

℞ Aq. alexit. simpl. ℥ viij.
piper. Jamaic. spt. ℥ ij.
Syr. cariophil. ʒvj.

Fiat julepum.

Julepum Febrile.

℞ Aq. alexit. simpl. ℥ viij.
spt. cum aceto. ℥ ij.
Syr. simpl. ʒ ss. M.

Fiat julepum.

Julepum Hystericum.

℞ Aq. puleg. simpl. ℥ viij.
spt. ℥ ij.
Syr. simpl. ʒ ss.

Fiat julepum.

Julepum

Julepum e Mentbâ.

℞ Aq. menth. V. S. ʒviij.
fpt. ʒij.

Syr. simpl. ʒfs.

Fiat julepum.

Julepum Stypticum.

℞ Aq. font. ʒviij.

Tinct. styptic. ʒij.

Syr. simpl. ʒfs.

Fiat julepum.

Lac Ammoniacum. Ph. Lond.

Capiat coch. ij. urgente. dyspnæa.

Lac Astringens.

℞ Cort. querc.

granator.

Rad. tormentil. ana ʒij.

Contus. coq. in aq. font. et lact
vaccin. ana ℥j. ad consumpt.
℥j. Sub.

Sub finem addendo cort. cinam. ℥ij.
Colat. frigid dosis ℥ij. frequenter
sumend.

Linimentum Album.

℞ Axung. porcin. ℥iv.
Præcipit. alb. ℥ij. M.

Linimentum Volatile.

℞ Ol. e pedib. bov. ℔j.
Spt. vin. camph. ℥iv.
Sal ammoniac. ℥iij. M.

Lotio Sulphurata.

℞ Flor. sulphur. ℔j.
Sal fixi alkal. ℥iv.
Coq. in aq. font. ℔xij. ad ℔viij.
Cola ad usum.

Mel. Ægyptiacum.

[Ph. Lond.]
Rosarum.

G

Mercur.

Mercur. Alkalizatus.

℞ Mercur. crud. ℥iv.
Ocul. cancror. ℥ij.

Terantur in mortar. marmor. ad mercurii extinctionem.

Mistura Acoustica.

℞ Ol. amygd. dul. ℥iij.
Spt. sal ammoniac. ℥j. M.

Mistura Asthmatica.

℞ Aq. menth. v. simp. ℥ij.
Piper Jamaic. spt.
Oxymel scillitic. ana ℥i. M.
Capt. cochl. ij. frequenter.

Mistura Pectoralis.

℞ Ol. lini. S. I.
Syr. simp. ana ℥ij. M.
Capt. cochl. ij. ter die.

Mistura

Mistura Pectoralis, cum Diacodio.

℞ Ol. lini. S. I.
Syr. e mecon. ana ʒij. M.

Mistura e Scordio.

℞ Aq. alixeter. simpl. ʒij.
Piper Jamaic. spt. ʒij.
Elect. e scord. ʒss. M.
Capt. cochl. ij. post sing. sedes li-
quidas.

Mithridatium.

Ol. Amygd. dul.
Lini. S. I.

[Ph. Lond.]

Olivar, com.
Terebinth. æther.

Oxymel, Scilliticum.

Philon, Londinense.

Pillulæ Alterantes.

℞ Mercur. dulc. sexties sub. 3j.
Elect. e scord. 3ij.
Pulv. glycyrrh. q. s. f.

Pillulæ lx.

Pillulæ ex Ammoniaco.

℞ Gum ammoniac. ʒj.
Pil. e styrace. gr. vj. f.
Pil. No. vj. h. s. sumendæ.

Pillula Anodyna.

℞ Opii purifs. gr. j.
Extract. glycyrrh. gr. ij. M.
Hora. somni. sumenda.

Pillulæ Catarrhales.

℞ Pil. ruffi. gr. xv.
Sapon. gr. viij. F.
Pill. No. iij. h. s. sumendæ.

Pillulæ ex Colocynth. cum. aloe.

[Ph. Lond.]

Pil.

Pillulæ Corroborantes.

℞ Pulv. rhæi. ʒj.
Terebinth. ven. q. f.
Fiant pil. No. 50.

Dosis 3fs. bis die

Pillulæ Ecphracticæ.

℞ Hier. picræ.
Gum ammon.
Ferruginis ana ʒij.
Syr. simpl. q. f.
Fiant pil. 4 ex sing. 3fs.

Bis die sumendæ.

Pillulæ Fætidæ.

℞ Gum. assa fætid. ʒj.
Castor. Russ. q. f. ut fiat Massa.

Dosis ʒj. bis die sumenda.

Pillulæ Hydrargyr.

℞ Mercur crud.
Terebinth ven extinct. ʒij.
Pulv. scammon.
jalap.

G 3

Gutt.

Gutt. gamb. ana ʒij.
 Syr. e spin. cerv. q. f.
 Fiant pil. No. jv. ex singl. ʒfs.
 Omni Mane. sumend.

Pillulæ Hystericæ.

℞ Gum galbanum.
 ammoniac. ana ʒfs.
 Syr. simpl. q. f.
 Fiant pil. No. iij. ex singl. ʒj.
 Bis die sumend.

Pillulæ Mercuriales.

℞ Pil. ex colocynth. cu aloe. m. ʒj.
 Merc. dukc. sexties sublim. ʒfs.
 Syr. e spin. cerv. q. f.
 Fiant pil. No. iij. ex singl. ʒfs.
 Bis terve in septimana sumend.

Pillulæ Ruffi.

Saponaceæ.

e Storace.

[Ph. Lond.]

Pil-

Pillulæ Terebintbinatæ.

℞ Pulv. glycyrrh. ʒj.
Terebinth. ven. q. f.
Fiant pil. v. ex singl. ʒss.

Bis die sumend.

Pillulæ Stomachicæ.

℞ Pulv. serpent. virgin.
Hier. picræ. ana ʒij.
Extract. gentian. ʒss.
Syr. simpl. q. f.
Fiant pil. vj. ex singl. ʒss.

Bis die sumend.

Potio Alba.

℞ Balsam. capivi. ʒss. vitell ovi sol.
Syr. simpl. ʒij.
Aq. piper Jamaic. ʒij.
Alexit. simpl. ʒifs. M. F.
Potio bis die sumend.

Pulvis Alexiterius.

℞ Pulv. e chel. C. C. ʒj.
contrayervæ. gr. vj.

Serpent. virgin. gr. iv. M.
Sexta quaque hora fumendus.

Pulvis Antimonialis.

℞ Antimon. crud. ppt. ℥ij.
Æthiop mineral. ℥j.

Fiat pulv. bis die fumendus.

Pulvis Antylissus. [Ph. Lond.]

Pulvis ad Lumbricos.

℞ Coral. rubr. pulv.
Gum scammon. pulv. ana ʒiss.
Refin. jalap. ʒij. f. pulv.

Dosis gr. xv. bis terve in septimana.

Pulvis Optthalmicus.

℞ Vitriol. alb. subtill. pulv. q. s.

Pulvis Purgans.

℞ Pulv. jalapii. ʒss.

Bis in septimana fumendus.

Pulvis

Pulvis Purgans, cum Mercurio.

℞ Pulv. rhœi. ʒj.
Merc. dul. sexties sublim. ʒss. M.
Bis in septimana sumendus.

Pulvis Stanni.

℞ Rasur. stann. ʒiij.
Pulv. corallin. ʒj. M.

Serum. Aluminosum.

Spirit Lavend. Comp.

Nitri dulc.

Sal Ammoniac.

[Ph. Lond,

Vin. Camphorat.

Vitriol Tenuis.

Volatil Aromat.

Syr. Cariophil Aromat.

℞ Cariophil arom. lbj.
Coccinell. ʒij.

Contunde et infunde clauso, vase in aq.
bullient, cong. ivss. per. hor. 24.

Tunc

70 PHARMACOPOEIA.

Tunc cola et adde fash. alb. ℥ 56.
Et coque ad debitam consistentiam.

Syr. e Meconio.

Simplex.

[Ph. Lond.]

e Spin. Cervina.

Ther. Andromach.

Tinctura Alexiteria.

℞ Rad. contrayerv.

Serpent. virgin. ana ʒij.

Coccinill. ʒj.

Contunde et infunde, in aq. bullient,
q. s. ad col. ʒxij.

Cui adde aq. piper Jamaic. spt. ʒiv. M.

Capt. cochelare. sexta quaque hora.

Tinct. Amara

Aromatic.

Cantharid.

Cardamon.

[Ph Lond.]

Castor

Croci.

Fortida.

Fætida.

Guaiac. Vol.

Tinctura Emmenagoga.

℞ Rad. hellebor. nigr. ℥iv.
Spt. vin. rectific. ℥xij. f. tinctura.
Capt. gtts. xl. bis die.

Tinctura Japonica.

℞ Terræ. japon. ℥j.
Cort. peruv.
Flor. balauft. ana ℥ss.
Cont. adde spt. vin. rectific. ℥viij.
Aq. cinnam. spt. ℥iv. f. tinctura.

Tinct. Mart. cum Spt. Sal.

Myrrhæ.

Rosarum.

Saturnina.

Senna.

Serpent. Virg.

Styptica.

Thebaica.

Tinctura

Tinctura Rhei.

- ℞ Rad. rhœi. ℥ivss.
Sem. Coriand. vel.
Cardamom. min. ʒij.
Aq. font. ℔ij.
Spt. vin. ten. ℔j. f. tinctura.

Vinum Antimoniale. [Ph. Lond.]

Dosis ʒj. ter die.

Unguentum Basilicon Flavum.

- ℞ Resin flavæ.
Ol. Lini. sine ig. ana ℔x.
Ceræ flav. ℔v.
Terebinth. com. ℔i. ʒiv.

Fiat unguentum.

Unguentum Cantharid.

- ℞ Unguent. basilicon, flav. ℔i.
Cantharid ppt. ʒij. M.

Unguentum Emolliens.

- ℞ Unguent. ex althæa. ʒiv.
Ol. Terebinth. ʒj. M. S. A.

Ungu-

Unguentum e Gum Elemi. [Ph. Lond.]

Unguentum Mercuriale.

- ℞ Mercur. crud. ℥vj.
Terebinth. venet. ℥j.
Extincto mercurio. adde.
Axung. porcin. ℥iv. M.

Unguentum Mercuriale Camphoratum.

- ℞ Ungent. mercurial. ℥ij.
Camphor. ℥fs. M. S. A.

Unguentum Optbalmicum.

- ℞ Axung. porcin. ℥ivfs.
Cerae. flav.
Lap. tutiæ ana. ℥fs.
Camphoræ ℥fs. M. S. A.

Unguentum Pallidum.

- ℞ Axung. porcin. ℔iv.
Merc. corros. rub. ℔fs. M. S. A.

Unguentum ad Psoram.

℞ Axung. porcin. ℥iv.
Sulph. viv. ℥ss. M. S. A.

Unguentum Refrigerans.

℞ Ol. olivarum
Cerae. alb. ana ℥ss.
Sperm. ceti. ℥iij. M. S. A.

Unguentum ad Tineam.

℞ Picis liquid. ℥j.
Sulph. viv. pulv. ℥iv.
Cerae. flavæ. ℥j. M.

Fiat unguentum quo ungatur caput.

Unguentum Viride.

℞ Unguent. basilicon flav. ℥j.
Pulv. æruginis. ℥ij.
Fiat unguentum. S. A.

Hausius

Haustus Nervosus.

℞. Castor. R. pulv. ʒj.
Ol. fuccin. gtt. xij.
Spirit. vol. aromat. gtt. xx.
Aq. cinnam. simp. ʒij.
Syr. caryophil. ʒij. M.

Fiat haustus bis die sumendus.

P

I

R

To

PHARMACOPOEIA

NOSCOMII DIVI

T H O M Æ.

Acetum scilliticum.

DOSIS a gutt^s. 20 ad 60
Bis die.

Æthiops Antimonialis.

R Antimon. crud.

Argent viv. ana ʒj.

Flor. sulphur. ʒss.

Terantur simul ad mercurii extinctionem.

Dosis ʒj. bis die.

Æthiops Mineralis. [Ph. Lond.]

Dosis ʒj. bis die.

H 3

Æthiops

Æthiops Vegetabilis.

R Querci marin. calcinat 3j.
Bis die.

Aqua Aluminosa.

Alexit S.

Calcis

Cinnamomi

[Ph. Lond.]

Menthæ S.

Do. pip. S.

Pulegii S.

Rosar. D.

Aqua Alexit Spt.

cum aceto

Cort. Aurant.

Juniperi Co.

[Ph. Lond.]

Menthæ Spt.

Nucis Moschatæ Spt.

Sem. carui Spt.

Aqua

Aqua Hordeata cum Gum Arabic.

℞ Aquæ hordeat. ℥jj,
Gum Arabic ℥iss. M.

Dosis ℥iv. ter die.

Ditto cum Nitro.

℞ Nitri puriss. ℥jss.
Aq. hordeat ℥jj. M.

Dosis ℥iv. ter die.

Aqua Mineral Lambeth.

Dosis ℥ss ter die.

Aqua liberans.

℞ Raff. Sassafras ℥iv.

Guiac. ℥j.

Rad. glycyrhiz. ℥ij.

Sem. coriandri contus ℥j

Infunde in aq. calcis cong. i.

Dosis ℥vi. bis die.

Aqua

Aqua Marina.

Dosis a $\mathfrak{z}$ iv ad $\mathfrak{l}\mathfrak{b}$ j. omni mane.

Aqua purgans cum Manna.

R Aq. Sydenham $\mathfrak{l}\mathfrak{b}$ jj. coque ad
 $\mathfrak{l}\mathfrak{b}$ j. & adde mannæ opt. $\mathfrak{z}$ j.

Capiat pro re nata.

*Aqua Sapphirina.
Sulphurata.*

[Ph. Lond.]

Vitriolica.

Camphorata.

Cerulea.

Balsamum Locatelli.

Sulphuris.

[Ph. Lond.]

Bolus Alexiterius.

R Pulv. alexiter. gr. xxiv.

Syrup. simpl. q. s. F. bolus.

Sexta quaque hora sumendus.

Bolus

Bolus Alexit Epilepticus.

℞ Bol. alexiter.
epileptic. ana 3j. M.
Sexta quaque hora fumendus.

Bolus Alexit cum Castor.

℞ Bol. alexiter. 3j.
Castor R. gr. vj. M.
Sexta quaque hora fumendus.

Ditto cum Confect. Cardiaca.

℞ Bol. alexiter. 3j.
Confect. cardiac. ʒfs. M.
Sexta quaque hora fumendus.

Bolus Alexiterius cum Nitro.

℞ Bol. alexiter. 3j.
Nitri purifs. gr. viij. M.
Sexta quaque hora fumendus.

Bolus Alterans.

℞ Gum guaici, ʒfs.
Æthiop. min. 3fs.

Elect.

Elect. lenitiv. ʒj.
Syr. simpl. q. s. M.
Capiat bis die.

Bolus Aluminosus.

℞ Conserv. rosar. R. ʒj.
Aluminis ʒss.
Syr. simpl. q. f. M.
Capiat bis die.

Bolus Antimonialis.

℞ Æthiop. min.
Antimon. crud. ana ʒj.
Conserv. sambuci. ʒss.
Syr. simpl. q. f. M.
Capiat bis die.

Ditto cum Spec. Aromatic.

Fit addendo Spec. aromat. gr. iv.

Bolus Aromaticus.

℞ Nucis moschat torrefact.
Elect. bol. armen. cum opio
ana ʒiv.

Cretæ

Cretæ ppt. ʒj.

Syr. simpl. q. f. M.

Dosis ʒj. ter die superbibend.
haustum decoct. C.C.C.

Bolus Arthriticus.

℞ Mellis opt. ʒjjj.

Spt. terebinth. ʒjj. M.

Capiat ʒj. bis die.

Bolus Astringens.

℞ Conserv. rofar. R. ʒjj.

Terr. Japonic. ʒjj.

Elixir vitriol.

Aluminis ana ʒj.

Syr. papav. R. q. s. M.

Capiat ʒj. ter die.

Bolus Balsamicus.

℞ Balsam. locatelli. ʒj.

Conserv. rofar. R. ʒjj.

Syr. papav. R. q. f. M.

Capiat ʒj. ter die superbibend.
haustum decoct. pectoralis.

Bolus

Bolus Balsamic. cum Balsam. Sulphuris.

℞ Bol. Balsamic. ʒvi.
Balsam. sulphur. ʒj. M.

Capiat ʒj. ter die.

Bolus e Calomel.

℞ Calomel ppt. gr. x.
Conserv. rosar. ʒfs. M.

Capiat bis septimana.

Bolus Chalybeatus.

℞ Conserv. absinth. R. gr. xxiv.
Pulv. chalyb. subtiliss. gr. xii.
Zinziberis.
Cort. winteran. ana gr. iii.
Syr. simpl. q. s. M.

Capiat bis die.

Bolus e Chamomelo.

℞ Flor. chamomel. ʒfs.
Syr. simpl. q. s. M.

Capiat ter die.

Bolus

Bolus e Chamomælo Co.

℞ Flor. chamomel. 3 fs.
 Aluminis.
 Myrrhæ ana gr. v.
 Syr. simpl. q. f. M.

Capiat ter die.

Bolus e Copaivæ.

℞ Balsam copaivæ.
 Elect. lenitiv. ana 3j.
 Pulv. rhei. 3jjj. M.

Capiat 3j. bis die.

Bolus Roborans.

℞ Colophon. flav. 3j.
 Pulv. rhei.
 Conserv. rosar. R. ana gr. x.
 Syr. simpl. q. f. M.

Capiat bis die.

Bolus Liberans.

℞ Gum guaic.
 Sacchar. alb. ana 3 fs.

I

Flor.

Flor. sulphur. ʒjj.
Syr. simpl. q. f. M.

Capiat bis die.

Bolus ad Diarrhœam.

℞ Pulv. rhei, gr. xv.
Elect. e bolo cum opio ʒss.
Syr. simpl. q. f. M.

Capiat pro re nata.

Bolus Epilepticus.

℞ Rad. valerian. sylv. ʒjj.
Syr. simpl. q. f. M.

Capiat ʒjj. bis die.

Bolus Epilepticus cum Chalybe.

℞ Bol. epileptic. ʒjj.
Chalyb. ppt. gr. x. M.

Capiat bis die.

Bolus Epilepticus cum Nitro.

℞ Bol. epileptic. ʒjj.
Nitri puriss. gr. x. M.

Capiat bis die.

Bolus

Bolus Epilepticus cum Sal Armoniac.

R Bol. epileptic. ʒij.
Sal armoniac. gr. v. M.

Capiat bis die.

Bolus Febrifugus.

R Pulv. cort. peruvian. ʒij.
Syr. simpl. q. s. M.

Capiat ʒij. secunda quaque hora.

Bolus Febrifugus cum Alumine.

R Bol. febrifug. ʒij.
Aluminis gr. x. M.

Capiat sexta quaque hora.

Bolus Febrifugus cum Myrrha.

R Bol. febrifug. ʒij.
Myrrhæ gr. x M.

Capiat sexta quaque hora.

Bolus Febrifugus cum Sal Armoniac.

℞ Bol. febrifug. ʒij.
Sal armoniac. gr. iii. M.

Capiat sexta quaque hora.

Bolus Febrifugus cum Sale Martis.

℞ Bol. febrifug. ʒij.
Sal martis gr. iii. M.

Capiat sexta quaque hora.

Bolus ad Gonorrhœam.

℞ Pulv. jallap. ʒiiij.
glycyrrhiz.
scammon. ana ʒj.
Terebinth. venet. ʒx. M.

Capiat ʒj. omni mane.

Bolus e Guaiaco.

℞ Gum. guaiac.
Conserv. sambuci ana ʒfs.
Syr. simpl. q. f. M.

Capiat omni mane.

Bolus

Bolus e Guaiaco.

℞ Bol. e guaiaco. ʒj.
arthritic. ʒss. M.

Capiat omni mane.

Bolus Hemorrhoidalis.

℞ Elect. lenitiv.
Flor. sulphur. ana ʒss.
Syr. rosar. solutiv. q. f.

Capiat bis die.

Bolus Catharticus.

℞ Pulv. jalap. ʒss.
zinziberis. gr. vi.
Syr. e spina cervin. q. f. M.

Capiat bis in septimana vel pro r
nata.

Bolus e Stanno.

℞ Stanni ppt. ʒj.
Conserv. rutæ. ʒss.
Syr. simpl. q. f. M.

Capiat bis die.

Bolus Nephriticus.

℞ Elect. lenitiv. ℥xii.
Terebinth. argentor. ℥iv.
Crem. tartar. ℥j. M.
Capiat ℥j. bis die.

Bolus Paraliticus.

℞ Sem. finapios. ℥jj.
carui.
Cort. winteran. ana ℥ij.
zinziberis. ℥j.
Spt. terebinth. ℥jss.
Syr. simpl. q. f. M.
Capiat ℥j. bis die.

Bolus ad Scabiem.

Vid. Bol. Hemorrhoidalis.

Bolus Pepticus.

℞ Conserv. rutæ. ℥iij.
Piperis longi. ℥iss.
Sal. gemmæ. ℥vi.
Syr. simpl. q. f. M.
Capiat ℥j. bis die.

Bolus

Bolus e Rhabarbaro.

℞ Pulv. rhabarb. ʒfs.

Syr. simpl. q. f. M.

Capiat bis septimana vel pro re nata.

Bolus e Rhabarbaro cum Jallapio.

℞ Bol. e rhabarb. ʒj.

Pulv. jallap. gr. x. M.

Bolus Saponaceus.

℞ Sapon. Castil. ʒj.

Olei anifi

carui ana ʒfs.

Syr. simpl. q. s. M.

Capiat ʒj. ter die.

Bolus Saponaceus cum Hiera Picra.

℞ Bol. saponac. ʒj.

Hieræ picræ. gr. iv. M.

Capiat bis die.

Bolus

Bolus Saponaceus cum Rheo.

℞ Bol. saponac. ʒj.
Pulv. rhei. gr. x. M.
Capiat bis die.

Bolus Scilliticus.

℞ Rad. enulæ camp.
scillar. coct. ana ʒj.
Ol. anisi. ʒfs.
Syr. ex althea. q. s. M.
Capiat ʒj. bis die.

Bolus Laxativus.

℞ Elect. lenitiv. ʒj.
Pulv. jallap. ʒij. M.
Capiat ʒjfs. bis septimana.

Bolus Laxativus cum Mercurio.

℞ Bol. laxativ. ʒij.
Calomel ppt. gr. x. M.
Capiat bis septimana.

Bolus

Bolus ad Scrophulam.

℞ Spong. ust. ʒj.

Conserv. rosar. R. ʒss.

Syr. simpl. q. s. M.

Capiat bis die cum haustu aquæ
marinæ.

Bolus ad Scrophulam cum Nitro.

Fit addendo singul. dosi

Nitri puriss. gr. x.

Bolus e Tartaro.

℞ Conserv. absinth. R. ʒss.

Crem. tartar.

Tartar. vitriolat. ana ʒss.

Sal. martis gr. v.

Syr. simpl. q. s. M.

Capiat bis die.

Bolus Emeticus Mercurialis.

℞ Merc. emetic flav. gr. v.

Tartar. emetic. gr. ʒ.

Conserv. rosar. R. ʒj. M.

Capiat pro re nata.

Bolus

Bolus ad Variolas.

℞ C. C. C. gr. xviii.
Nitri puriss. gr. vi.
Syr. simpl. q. f. M.

Capiat sexta quaque hora.

Pulvis Stomaticus.

℞ Pulv. calam aromat. ʒj.
Capiat bis die.

Castor R.

Dosis a gr. x. ad ʒij. ter die.

Cataplasma e Cymino.

Maturans.

[Ph. Lond.]

Cataplasma ad Rheumatismum.

℞ Flor. sambuci recent. ℔ xvi.
Aceti acerrimi ℔ iv.
Salis marin. gallici. ℔ i. M.

Fiat cataplasma alternis diebus
applicandum.

Ceratum album.

citrinum. [Ph. Lond.]
mercuriale.

Ceratum Commune.

℞ Cerae flav.
Ol. olivarum ana ʒj. M.

Collyrium Vitriolicum.

℞ Vitriol. alb. gr. x.
Solve in aq. fontan. ʒj.

Confectio Cardiaca. [Ph. Lond.]

Dosis ʒj. sexta quaque hora.

Mithridatium.

Conserv. rosar. R.
sambuci.
rutæ. [Ph. Lond.]
cynosbat.
absinth. R.

Decoctum Album.

℞ C.C.C. ʒvi.
Gum arabic. ʒj.
Coque in aq. fontan. q. s. ad
Colat. cong. i.

Decoctum

Decoctum Album cum Gum Arabic.

Fit addendo gum arabic. ℥v.
cong. i. decoct. albi.

Decoctum Album cum Nitro.

Fit addendo nitri puriss ℥j. cong. i.
decoct. albi.

Decoctum Astringens.

℞ C. C. C. ℥vi.

Gum arabic.

Cort. granator. ana ℥j.

Rad. tormentil. ℥iv.

Coque in aq. fontan. q. f. ad colat
cong. i.

Dosis ℥iv. ter die.

Decoctum Campechense.

℞ Lign. Campechens. ℥viii.

Coque in aq. fontan. q. f. ad colat
cong. i.

Dosis ℥iv. ter die.

Decoctum

Decoctum Commune pro Clystero.

℞ Fol. malv. fccat. ℥j.
 Flor. chamemel. fccat.
 Sem. fœnicul. D. ana ℥ss.
 Aq. fontan. ℔j.
 Coque simul, et cola ad usum.

Decoctum Cort. Peruviani.

℞ Cort. peruvian crasse pulv. ℔ss.
 Coque in aq. fontan. q. s. ad colat.
 cong. i.

Dosis ℥iij. ter die.

*Decoctum Cort. Peruviani cum Cort.
 Winteran.*

℞ Cort. peruv. crasse pulv. ℥ij.
 Coque in aq. fontan. ℔iv. ad ℔ij.
 sub finem coctionis adde cort.
 winteran. ℥j.

Dosis ℥iij. ter die.

*Decoctum Cort. Peruviani. cum Tinct.
 Corticis.*

℞ Decoct. cort. peruv. ℥ijss.
 K Tinct.

Tinct. cort. peruv. vol. 3j. M.
Capiat ter die.

Decoctum Dieteticum.

℞ Raff. sassafra.

guaiaci ana 3j.

Rad. glycyrrhiz. 3ij.

Sem. coriand. contus. 3fs.

Coque in aq. fontan. q. f. ad
colat cong. i.

Dosis ℥ss. bis die.

Decoctum Sarsaparillæ.

℞ Sarsaparil. 3viij.

Coque in aq. fontan. q. f. ad co-
lat cong. i.

Dosis ℥ss. quater in die.

Decoctum Simaroubæ.

℞ Cort. Simaroubæ. 3ij.

Coque in aq. fontan. cong. i. fs. ad
cong. i. et cola.

Dosis 3iv. ter die.

Decoctum

Decoctum Traumaticum.

℞ Heder terrest.

Tuffilaginis.

Glycyrrhiz. ana ℥ij.

Rad. Enulæ. C. ℥j.

Coque in aq. fontan. ℔ ix. ad
cong. i.

Dosis ℥iv. ter die.

Decoctum Ulmi.

℞ Cort. interior ulmi recent. ℥viii.

Coque in aq. fontan. q. s. ad
colat. ℔iv.

Dosis ℔ss. ter die.

Electarium e Baccis Lauri.

℞ Fol. rutæ ficcāt.

Sem. carui.

petroselin.

Bacc. lauri ana ℥j.

Gum Sagapen. ℥ss.

Piperis nigri.

Castor. R. ana ℥ij.

Mellis despumati. ℥xii. M.

Dosis a ℥j. ad ℥ij.

K 2

Electarium

Electarium e Bolo cum Opio.

℞ Pulv. e bolo cum opio. ℥j.
Syr. e Meconio. ℥iij. M.

Dosis 3j. ter die.

Electarium Lenitivum. [Ph. Lond.

Dosis 3j. pro re nata.

Electarium e Scammonio.

℞ Scammonii. ℥jfs.
Caryoph. aromat.
Zinziber. ana 3vi.
Ol. carui. 3fs.
Mellis opt. ℔fs. M.

Dosis 3jfs. bis septimana.

Electarium e Scordio cum Opio.

[Ph. Lond.

℞ Spec. e scordio cum opio. ℥viij.
Syr. e meconio. ℥xxiv. M.

Dosis 3j. ter die.

Elixir Acidum Volatile.

℞ Spt. vol. aromat. 3vi.

Syr.

Syr. violar. 3j.

Infunde stillatim spt. vitriol. donec fermentatio cessat et mixtura rubefacta est.

Dosis 3j. bis die.

Interdum additur camphor. ʒj.

Elixir Aloes. [Ph. Lond.]

Dosis a xx. ad lx. gtts. omni mane.

Elixir Paregoricum. [Ph. Lond.]

Dosis 3j. hora somni.

Elixir Vitrioli Acidum. [Ph. Lond.]

Dosis gtts. xx. bis die.

Emplastrum Attrahens.

adhesivum.

cephalicum. [Ph. Lond.]

commune.

e cymino.

Emplastrum e Cymino cum Opio.

℞ Emplast. e cymino. ʒxii.

Opīi colat. ʒj. M.

Em-

Emplastrum e Cymino cum Sapone.

- ℞ Emplast. e cymino ℥iij.
Sapon. castil. ℥j. M.

Emplastrum Dorsale.

- ℞ Emplast. roborant. Ph. Lond.
℔ viii.
Ceræ flav. ℔ fs. M.

Emplastrum Dorsale cum Opio.

- ℞ Emplast. dorsal. ℥xii.
Opīi colat. ℥j. M.

Emplastrum e Galbano.

- ℞ Galban. colat. ℥ifs.
Ceræ flav.
Myrrhæ ana ℥fs.
Terebinth. venet. ℥ij. M.

Emplastrum Ischiaticum.

- ℞ Picis Burgund. ℥iiij.
Euphorbii. ℥j. M.

Emplastrum

Emplastrum Suppedale.

℞. Emplast. epispast. Ph. Lond.
cephalici ana P.Æ.M.

Emplastrum e Sapone.

Epispasticum.

[Ph. Lond.

Emulsio Oleosa.

℞ Julap. volat.
Aq. fontan. ana ℥vi.
Ol. amygd. D. ℥iv. M.
Capiat cochl. iii. larg. ter die.

Enema Anodynum.

℞ Decoct. albi. ℥iv.
Opii colat. gr. ij. M.

Enema Astringens.

℞ Decoct. albi. ℥iv.
Elect. e scordio cum opio ℥iij. M.

Enema Commune.

℞ Decoct. cum pro clyster. ℔ ss.

Mellis

Mellis ℥ij.

Elect. lenitiv. ℥ss. M.

Enema commune cum Oleo.

℞ Enemat. commun. ℥xss.

Ol. olivar. ℥ij. M.

Enema Oleosum.

℞ Ol. olivar. tepesact. ℥v.

Enema Emalliens.

℞ Lactis tepesact. ℥viiij.

Sacchar. commun.

Ol. olivar. ana ℥ij. M.

Enema Hæmorrhoidale.

℞ Foment. astring. tepesact. ℥vj.

Enema Terebintbinatum.

℞ Decoct pro clyster. ℥viiij.

Terebinth. venet. (V. O. solut.)

Mellis ana ℥ss. M.

Epithema

Epithema Volatile.

Epispasticum.

[Ph. Lond.

Expressio Millepedum.

℞ Milliped. vivent. ℥iiij.

Aq. fontan. ℔jfs.

Spt. vini gallici. ℔fs. M.

Capiat ℥ij. bis die.

Expressio Viridis.

℞ Succi cynarum ℥viij.

Aq. juniper. co. ℥ij. M.

Capiat coch. iv. bis die.

Extractum Catharticum.

Cort. Peruv.

Glycyrrhiz.

Lign. campechens.

Thebaicum.

[Ph. Lond.

Flores Benzoin.

Martiales.

Sulphuris.

Fomentatio

Fomentatio Astringens.

- ℞ Gallar. contus ℥j.
Coque in aq. fontan. q. s. ad co-
lat ℔j.

Fomentatio Communis.

- ℞ Fol. abrotani ficut.
abfinth. M. ficut.
Flor. chamomel. ficut. ana ℥j.
Fol lauri ficut. ℥ss.
Aq. fontan. ℔vi.
Coque paululum et cola.

Fomentatio Papaverum.

- ℞ Capitem papav. alb. ℥iv.
Coque in aq. fontan. ℔iv. ad ℔ij.
Interdum fit cum aceti ℥ij.

Fumigatio Communis.

- ℞ Cinnabar. fact. ℥j. pro re nata.

Gargarismus Aluminosus.

- ℞ Gargarism. com. ℥xviij.
Aluminis ℥ss. M.

Gargarismus

Gargarismus Communis.

℞ Tinct. rofar. ℔j.
Mel. rofar. ʒij. M.

Gargarismus e Contrayerva.

℞. Ficuum ʒj.
Rad. contrayerv. ʒss.
Coque in aq. fontan. q. s. ad co-
lat ʒxij. interdum fit cum.
Aceti ʒij.
Vel tinct. myrrh. ʒss.

Gelatina Amyli.

℞ Amyli ʒj.
Aq. fontan. ℔j.
Coque ad consistentiam idoneam,
dein adde
Tinct. cinnamom. ʒij.
Syr. simpl. ʒss.
Capiat ʒiiij. ter die in dysenteria.

Haustus Hydragogus.

℞ Aq. cinamom. ten ʒvi.
Oxymel. scillit. ʒjss.

Spt.

Spt. lavend. co. ʒfs.
Sal. tartar. ʒfs. M. h. f. fumend.

Haustus Oleosus.

℞ Julap. com.
Ol. amygd. D. ana ʒj. M.
Interdum fit cum ol. lini.
vel ol. olivarum.

Sexta quaque hora fumendus.

Haustus Oleosus cum Diacodio.

℞ Haust. oleos. ʒij.
Syr. e meconio. ʒj. M.

Haustus Oleosus cum Manna.

℞ Haust. oleos. ʒij.
Mannæ opt. ʒiij. M.

Haustus Paregoricus.

℞ Aq. fontan. ʒj.
alexit spt. ʒij.
Syr. e meconio. ʒfs. M.

Pro re nata fumendus.

Haustus

Haustus Purgans Communis.

- ℞ Infus. fennæ. ℥iij.
 Syr. e spinæ cervina. ℥j.
 Aq. carui spt. ℥ss. M.
 F. haust. bis septimana sumendus.

Haustus Solutivus.

- ℞ Aq. fontan. ℥iij.
 Sal. Glauber. ℥vi.
 Tinct. fennæ. ℥ss. M.

Hiera Picra.

- ℞ Aloes socotrin. ℔ss.
 Canellæ alb. ℥jss. M.

Infusio amara.

- ℞ Rad. gentian. ℥ss.
 Cort. aurant. ℥ij.
 Rad. zedoar. ℥j.
 Infunde in aq. bullient. q. s. ad
 colat ℥xij.
 Adde aq. aurant. spt. ℥vi.
 Capiat coch. iv. larg. bis die.

Infusio Amara cum Sale Absinthii.

℞ Infus. amar. ℥j.
Sal. absinth. ʒj. M.

Infusio Amara Purgans.

℞ Sennæ. ʒiij.
Rad. gentian.
Cort. aurant.
Sem. carui contus ana ʒss.
Infunde in aq. bullient. ʒiv.
Colat adde aq. carui spt. ʒss.
F. haustus bis septimana sumendus.

Infusio Amara cum Sal Diuretic.

℞ Infus. amar. S. ℥j.
Sal. diuretic. ʒss. M.
Dosis ʒiv. bis die.

Infusio Cascarillæ.

℞ Cort. cascarillæ contus ʒss.
Aq. bullient. q. f. ad colat ℥j.
Dosis cochl. vi. bis die.

Infusio

Infusio Hydropica.

℞ Infus. amaræ.
paraliticæ ana ℥j. M.

Dosis ℥iv. bis die.

Infusio Laxativa.

℞ Infus. fennæ. ℥iij.
Mannæ ℥j.
Aq. carui ℥ij. M.
Interdum sal. Glauber. ℥iij.

Infusio Laxativa cum Tinct. Sennæ.

℞ Infus. laxativ. ℥iij.
Tinct. fennæ. ℥j. M.

Infusio Sennæ.

℞ Fol. fennæ. ℥jss.
Crem. tartar. ℥iij.
Sem. carui. ℥ij.
Aq. bullient. ℥j.

Stent simul per horas xxiv.

Infusio Trifolii Palustris.

℞ Trifol. palustris ficcāt. ℥j.

L 2

Aq.

Aq. bullient. q. s. ad colat ℥ij.
Dosis ℥iv. ter die.

Infusio Paralitica.

℞ Raphan. rust.
Sem. sinapios ana ℥j.
Cort. winteran. ℥iij.
Aq. bullient. ℥jss.
Colat adde aq. carui spt. ℥ij.
Dosis ℥iv. bis die.

Pulvis Emeticus Communis.

℞ Pulv. ipecacoanhæ. ʒj.

Julepum Astringens.

℞ Elect. e bolo cum opio. ℥ss.
Aq. alexit. S. ℥ss.
alexit. spt. ℥ij. M.
Capiat coch. 3 larg. post singulas
sedes liquidas, vel pro re nata.

Julepum e Camphora.

℞ Camphor. ʒj.
Sacchar. puriss. ℥ss.

Aq.

Aq. bullient. ℥j.
Dosis ℥ij. sexta quaque hora.

Zulepum Cardiacum.

℞ Aq. alexit. S. ℥ss.
alexit cum aceto ℥ij.
Syr. papav. R. ℥ss. M.
Capiat coch. iv. larg. sexta quaque
hora.

Zulepum Commune.

℞ Aq. alexit S. ℥ss.
alexit spt. ℥ij.
Syr. simpl. ℥ss. M.
Capiat coch. iv. larg. sexta quaque
hora.

Zulepum e Creta.

℞ Cretæ ppt. ℥j.
Sacchar. puriss. 3vj.
Gum Arabic. 3ij.
Aq. fontan. ℥ij. M.
Interdum fit cum aq. nuc. mos-
chat vel tinct. cinnamom. ℥ij.

Dosis coch. iii. larg. post singulas sedes liquidas.

Julepum e Scordio.

℞ Julep. commun. fine syr. ℥x.
Elect. e scordio cum opio ℥ss. M.

Dosis coch. iii. larg. post singulas sedes liquidas.

Julepum e Moscho.

℞ Aq. rosar. D. ℥vj.
Moschi opt. gr. xii.
Sacchar. puriss. 3j. M.

Capiat coch. iv. larg. sexta quaque hora.

Julepum e Mentha.

℞ Aq. menthæ S. ℥viij.
Spt. ℥j.
Sacchar. puriss. 3j. M.

Capiat coch. iv. larg. urgente nausea.

Julepum.

Julepum e Mithridatio.

℞ Julep. com. ℥x.
Mithridat. ℥ss. M.

Capiat coch. iii. sexta quaque hora.

Julepum e Ther. Andromachi.

℞ Julep. commun. ℥x.
Ther. Androm. ℥ij. M.

Capiat coch. iii. larg. sexta quaque
hora.

Julepum Volatile.

℞ Aq. alexit S. ℥x.
Spt. ℥ij.
Sacchar. puriss. ℥iiij.
Sal. C. C. vol. ℥jss. M.

Capiat coch. iv. larg. ter die.

Julepum Volatile Tenue.

℞ Julep. volatil.
Aq. fontan. ana ℥vj.
Interdum fit cum nitri ℥iiij.
Vel. ol. olivar. ℥iv.

Dosis cochl. iii. larg. ter die.

Lac.

Lac Ammoniaci.

℞ Gum. ammoniac. ʒij.
Aq. pulegii. S. ℥ss. M.

Capiat cochl. duo larg. ter die.

Lac Ammoniaci cum Oleo.

℞ Lact. ammoniac. ʒvj.
Ol. olivar. ʒiiij. M.

Capiat cochl. iii. larg. ter die.

Lac Ammoniaci cum Mist. Asthmatic.

℞ Lact. ammoniaci.
Mist. asthmatic. ana. ʒiv. M.

Capiat cochl. ii. larg. ter die.

Lac Ammoniaci cum Julep. Volatil.

℞ Lact. ammoniaci.
Julep. volatil. ana ʒiv. M.

Capiat coch. iii. larg. ter die.

Lac

Lac Assafœtidæ.

℞ Gum. assafœtidæ. ʒj.

Aq. fontan. ℥ij. M.

Capiat cochl. larg. sæpe in die.

Lac Restrings.

℞ Cort. quercin. ʒj.

Granator. ʒss.

Cinnamom. ʒij.

Coque in aq. fontan.

Lact. vaccin. ana ℥ij.

ad consumptionem dimidii.

Dosis ʒij. ter die.

Linctus Pectoralis.

℞ Conserv. cynosbat. ʒij.

Syr. pectoral.

Ol. lini S. J. ana ℥ij. M.

Dosis cochl. larg. urgente tussi.

Linimentum Album.

℞ Ol. olivar. ʒiij.

Sperm. ceti. ʒvj.

Ceræ alb. ʒij. M.

Linimentum

Linimentum e Borace.

- ℞ Ol. amygd. D. ʒj.
Vitell. ovi unius.
Boracis ʒj. M.

Linimentum Saponaceum.

- ℞ Spt. rorismarin. ℔j.
Sapon. Hispan. ʒiij.
Camphor. ʒj. digere.

*Linimentum Saponaceum cum Spt. Sal.
Armoniac.*

- ℞ Liniment. saponac. ʒxvj.
Spt. sal. armoniac. ʒj. M.

Linimentum Viperinum.

- ℞ Colcothar. vitriol. ʒj.
Axung. viperin. ʒj. M.

Linimentum Volatile.

- ℞ Ceræ flav. ʒij.
Ol. olivar. ʒjfs. liquefact. adde
spt. sal. armoniac. ʒjfs. M.

Linimentum

Lixivium Tartari.

Dosis a xx. ad lx. gtts. bis die.

Loboch.

℞ Sperm. ceti.
 Conserv. rofar. ana ʒj.
 Syr. pectoral. ʒij. M.
 Interdum fit cum
 Myrrhæ. ʒss.
 Nitri ʒiiij.
 Vel chel. C. Co. ʒss.

Dosis Q. N. M. urgente tussi.

Lotio Sulphurata.

℞ Sulphur. pulverizat. ʒvj.
 Coque in aq. calcis cong. i. ad.
 consumptionem libræ unius.

Mel Ægyptiacum.

Rosarum.

[Ph. Lond.

Mel. Rosarum cum Alumine.

℞ Mel. rofar. ʒj.
 Aluminis ust. ʒj. M. F. Garga-
 risma.

Mixtura

Mixtura Aconstica.

- ℞ Ol. amygd. D. ʒiij.
Spt. fal. armoniac. ʒj. M.
Instillentur gutt. aliquot auri af-
fect. omni nocte hora somni.

Mistura Salina.

- ℞ Sal. absinth. ʒij.
Succ. limon. ʒiij.
Aq. cinnamon. S. ʒvj. M.
Dosis cochl. iii. larg. sexta quaque
hora, vel urgente nausea aut febre.

Mistura Asthmatica.

- ℞ Oxymel. scillit. ʒss.
Aq. pulegii. S. ʒj. M.
Interdum fit cum ol. olivar. ʒss.
Capiat bis die.

Mistura Cordialis.

- ℞ Julep. commun. sine syr. ʒx.
Confect. cardiac. ʒij. M.
Dosis, iii. aut iv. cochl. larg. sexta
quaque hora.

Haustus

Haustus Emeticus.

℞ Pulv. Ipecacoanhæ. ʒj.

Oxymel Scillit ʒvi.

Aq. Fontan ʒi. M.

Mistura Febrifuga.

℞ Sal. absinth. ʒii.

Succ. Limon. ʒiij.

Julep. commun. ʒvi.

Capiat coch. iij. larg. sexta quaque
hora.

Mistura Febrifuga.

℞ Interdum fit cum coral. ʒij.

Vel elixir vitriol. ʒij.

Vel pulv. alexiter ʒij.

Vel spt. lavend co. ʒij. prorenata.

Mistura Oleosa.

℞ Ol. amygd. D.

Syr. pectoral ana. ʒiv. M.

Capiat cochl. ii. larg. ter die.

M

Mistura

Mistura ex Olibano.

℞ Gum olibani. ʒ ss.
Sacchar alb. ʒj.
Aq. aurant spt. ʒij.
Fontan. ʒij. M.

Bis die sumenda.

Mucilago Sem Cydoniorum.

℞ Sem cydoniorum. ʒj.
Aq. fontan. ℔ ss. coque.

Mucilago Nepbritica.

℞ Gum Arabic.
Tragacanth ana. ʒj.
Aq. fontan. ℔vj.
Syr. altheæ. ʒiv. M.
Capiat coch. iij. larg. ter die.

Pulvis Myrrbæ.

Dosis ʒ ss. bis die.

Nitrum Purificatum.

Dosis ʒj. ter die.

Oleum

Oleum Sulphuris.

℞ Flor. sulphur. ʒj.

Ol. olivar. ℔ss.

Coque simul super lenem ignem

Dosis a xx. ad xl. gtt. ter quaterve indie.

Oxymel Scilliticum. Ph. Lond.

Dosis a ʒij. ad. ʒiij. ter die.

Philonium Londinense.

Dosis ʒj. hora somni.

Embrocatio contra Hydropem Articulationis.

℞ Picis barbadens.

Spt. vini R. ana. P. Æ. M.

Pil. Fætida. Ph. Lond.

Dosis. ʒj. bis die.

Pilulæ Scilliticæ.

℞ G. Affasætidæ gr. xvi.

Pulv. Scillarum gr. iv. M.

M 2

F. Pil.

F. Pil. iij. bis die sumend.

Pilulæ Balsamicæ.

℞ Milleped pulv. ʒiij.
Gum ammoniaci. ʒiss.
Flor. benzoin. ʒj.
Balsam Peruv.
Extract croci ana. gr. xv.
Bals sulphur q. s. ad idoneam con-
sistentiam F. Pil. mediocres.
Dosis iij bis die.

Pilulæ Mercuriales.

℞ Pil. e colocynth S. ʒj.
Calomel ppt. ʒss. M.
Dosis ʒss. bis septimana.

Pilulæ Catarrhales.

℞ Pil Rufi. gr. xij.
e Storace gr. vi. M.
F. Pil. iij. hora somni sumend.

Pilulæ

Pilulæ e Cinnabari.

℞ Cinnabar nativ ʒj.

Conserv rosarum gr. iv. M.

Pro dosi omni mane et sumend. H. S.

Pilulæ Corroborantes.

℞ Pulv. rhei ʒj.

Terebinth coct. ʒij.

M. F. Pil mediocres.

Capiat. iij. bis die.

Pilulæ Ecphracticæ.

℞ Pil. Rufi.

Sal martis ana. ʒviij.

Galban colat. ʒiv. M.

Dosis ʒj. hora somni.

Pilulæ Gummosæ. Ph. Lond.

Dosis ʒj. hora somni.

Interdum addentur gr. iv. pulv.

Scammon. sing ʒj. pil. gummos.

Pilulæ

Pilulae Mercuriales.

℞ Argent viv. ʒij.
Extingue in bals. sulphur. ʒij.
Adde extract glycyrrhiz. ʒj.
Gum guaic. ʒj.
Divide in pil. 144.
Capiat iij. omni nocte.

Pilulae Purgantes.

℞ Pil. Mercurial Ph. Lond. ʒfs.
Omni mane vel h. f. sumend.

Pilula Anodina.

℞ Extract thebaic gr. i.
Glycyrrhiz gr. iij. M.
Pro re nata sumend.

Pilula Rufi ph. Lond.

Dosis a ʒj. ad. ʒfs. omni nocte.

Pilula Rufi cum Chalybe.

℞ Pil rufi. Ph. Lond.
Pulv. chalybis. ana. ʒfs. M.

Et

Et divide in pil. iij. h. f. summand.

Pilula e Storace. Ph. Lond.

Dosis gr. 6. hora somni.

Pilula Antispilica.

℞ Merc. Calcinat. gr. i.
Mic panis recent. gr. ij.
Mucilag. G. tragacanth. q. f.
Interdum fit cum extract aloe.
gr. iv.

Capiat omni nocte.

Pilule e Tragacantha.

℞ G. Tragacanth.
Arabic ana. ℥iv. solve in
Aq. fontan ℥iv.
Pulv. glycyrrhiz. ℥iv F.

Massa pilularis.

Dosis pil. iij. mediocres ter die.

Potio Alba.

℞ Balf. copaiv. ℥j.
Vitel ovi unius.

Syr.

Syr. ex althæa ℥iv.

Aq. fontan ℔j.

Spt. vini Gallic ℔ss. M.

Capiat cochl. vi. larg. ter die.

Potio Peruviana.

℞ Balf. peruvian. ℥j.

Vitel ovi. q. s.

Aq. fontan. ℥j.

Spt. vini Gallic. ℥ij.

Syr. ex althea. ℥iss. M.

Fiat haustus bis die sumendus.

Pulvis Alexiterius.

℞ Pulv. testac. ℔jss.

Rad contrayerv. ℥v. M.

Dosis ℥ss. sexta quaque hora.

Pulvis Antylissus.

[Ph. Lond.]

Rad. Ari co.

Dosis ℥j. bis die.

Pulvis

Pulvis e Bolo cum et sine Opio. Ph. Lond.

Dosis a gr. iij. ad. xv. pro re nata.

Pulvis Diureticus.

℞ Test ovorum calcinat. ʒj.

Sal. absinth.

Nitri ana. gr. v. M.

Capiat ter die.

Pulvis Myrrhæ Co.

℞ Fol. rutæ ficcāt.

Dictamni Cretic.

Myrrhæ ana. ʒiss.

G. Assafoetidæ.

Sagapeni.

Castor. R. ana. ʒj. M.

Dosis ʒj. ter die.

Interdum. ʒss. chalybis. ppt. additur sing. dosi.

Pulvis Ophthalmicus.

℞ Vitri levigat. q. v.

Pulvis

Pulvis Digestivus.

℞ Cinnamon.
Nucis moschat.
Succini. ppt. ana. gr. x.
Piperis albi gr. v. M.

F. Pulvis bis die sumendus.

Pulvis ad Procidentiam Ani.

℞ Flor. balauft.
Bol. armeniac ana. ℥j. M.

Pulvis e Scammonio Co.

℞ Scammon. opt. ℥iv.
C. C. C. ℥iij. M.
Dosis a gr. v. ad. ℥j. bis septimana.

Pulvis e Scammon cum Mercurio.

℞ Pulv. e scammon. co. ℥iij.
Calomel ppt. ℥j. M.
Dosis a. gr. x. ad. ℥ss. bis septimana.

Pulvis Sudorificus Doveri.

℞ Opii colat.
Pulv. ipecacoanh. ana. gr. ij.
Tartar

Tartar vitriolat.

Nitri puriss ana. gr. viij. M.

Capiat H. S. alternis noctibus.

Pulvis Sternutatorius.

R Fol. asari.

Marjoranæ.

Mari syriaci.

Flor. Lavendulæ ana. ʒj. M.

Pulvis Testaceus.

R C. C. ppt. ℥ss.

Test. ostrear P. P. T.

Coral R. ppt. ana. ʒjss. M.

Pulvis e Tragacantha Co.

R Gum Tragacanth.

Arabic.

Rad. Althææ ana. ʒjss.

Amyli.

Glycyrrhiz ana. ʒss.

Sacchar puriss ʒiij. M.

Dosis a ʒss. ad ʒij. ad libitum.

Sal

Sal Diureticus. Ph. Lond.

Dosis ʒj. bis die.

Serum Aluminosum.

℞ Lactis vaccini ℔j.

Aluminis ʒij. coque.

Dosis ʒiv. bis die.

Serum Sinapinum.

℞ Lactis vaccini. ℔ij.

Sem. sinapios ʒj. coque.

Dosis ℔ss. omni nocte.

Sinapismus.

℞ Farin tritici.

Sinapios ana. P. Æ.

Aceti acerrimi. q. s.

Solutio Mercurialis.

℞ Merc. corrosiv subl. gr. viii.

Spit. Vin. Gallic. ℔j. M.

Dosis ʒss. bis die. superbibend
haustum Aq. hordeatæ.

Species

Species Aromaticæ.

℞ Cinnamomi. ℥ij.

Zinziber.

Piperis long.

Sem. cardamom decorticat ana.

℥j. M.

Dosis a gr. x. ad. ℥j. ter die.

Species e Scordio cum et sine Opio.

Dosis a gr. iij. ad. xv. pro re nata.

Spt. Sal. Armoniac.

Cornu Cervi.

Lavend co.

[Ph. Lond.]

Volat. aromatic.

Fætid.

Terebinth.

Succi Scorbutici.

℞ Cochlear hortens. lbj.

Becabungæ.

Nasturtii aquatic ana. lb ss.

N

Succ

Succi Aurant. Hispan 3x. M.
Dosis 3iv. bis die.

Sulphur Precipitatum. Ph. Lond.
Dosis 3ss. bis die.

Sulphur Antimonii precipitatum.
Ph. Lond.

Dosis gr. iv. omni nocte.

Suppositorium Commune.

℞ Fit ex melle coct. ad Idoneam
consistentiam.

Syrupus ex Althea.

Croci.

e Meconio.

Papav. R.

[Ph. Lond.]

Pectoralis.

Rosar. Solutiv.

Simplex.

Violarum.

Syrupus e Spina cervina.

℞ Succi spin. cervin. cong. j.

Piperis

Piperis Jamaic.

Zinziberis ana. ʒjss.

Sacchari commun. lbvij.

Coque ad idoneam consistentiam.

Trochisci Cardialgici.

R Cretæ ppt. ʒij.

C. C. ppt. ʒj.

Bol. armeniac. ʒss.

Nucis moschat gr. x.

Sacchari puriss. ʒjss.

F. trochisci cum aq. Fontan.

Tartarum Solubile. Ph. Lond.

Dosis ʒj. Omni mane.

Tinctura Aromatica. Ph. Lond.

Dosis. ʒss. bis die.

Guttæ Stomachicæ.

R Tinct. aromatic.

Elixir vitriol ana. ʒss. M.

Dosis ʒj. bis die.

*Tinctura Cantharidum.**Cinnamomi.*

[Ph. Lond.]

*Myrrhæ.**Jallapii.**Terr. Japonic.**Tinctura Corticis Peruviani.*

℞ Cort. Peruvian contus ʒij.

Spit. vini ten. ℥j. digere.

Dosis ʒiij. ter die.

Tinctura Volatilis.

℞ Cort. Peruv. contus ʒij.

Spit. Sal. armoniac. ℥j.

Digere sine calore in vase
bene clauso.

Dosis. ʒj. ter die.

Tinctura Fætida.

℞ Gum. assafœtid. ʒij.

Spit. vini R. ℥j. digere.

Dosis ʒj. bis die.

Tinctura

Tinctura Fuliginis.

℞ Fuliginis ligni. ℥j.
G. assafoetid. ℥ss.
Spit. vini ten. ℔j. digere.
Dosis a ʒj. ad. ʒij. bis die.

Tinctura Guaiaci.

℞ Gum guaiac. ℥j.
Spit. vini ten ℔j. digere.
Dosis coch. ii. omni mane.

Tinctura Guaiaci. Volatilis.

℞ Gum guaiac. ℥iv.
Spit. volat. aromat. ℔jss.
Digere per dies aliquot in vase
bene clauso.
Dosis ʒj. omni mane.

Tinctura Florum Martialium.

℞ Flor. martial ℥iv.
Spt. vini ten ℔j. digere.
Dosis a. Gtts. vi. ad. xxx. bis die.

Tinctura Melampodii.

℞ Rad. hellebori nig. ℥iv.
Coccinellæ. ℥ij.
Spt. vini ten. ℔ij.

Dosis ʒi. bis die.

Tinctura Martis in Spiritu Salis.

℞ Rubigin. ferri ℔ss.
Spt. sal. Glauberi.
Vini R. ana. ℔ij.

Macera in spiritu salis sine calore

Dosis gtt. xx. bis die.

Tinctura Rhabarbari.

℞ Rad. Rhei. ʒij.
Sem Carui. ʒvi.
Spt. vini ten. ℔j.
Aq. fontan ℔ij. digere.

Dosis. ʒij. bis septimana, vel pro re nata.

Tinctura Rhabarbari cum Jalapio.

℞ Tinct. Rhabarbari ʒjss.

Pulv.

Pulv. jalapii gr. viii. M.
Bis septimana, vel pro re nata sumend.

*Tinctura Rhabarbari cum Theriac
Andromachi.*

R Tinct. Rhabarbari ℥iss.
Ther. andromach. ℥j. M.
Capiat æger alternis Noctibus.

Tinctura Rosarum.

R Fol. Rosar. R. ficut, ℥ss.
Aq. bullient lbijss.
Ol. vitriol. gtts. xx.
Sacchari alb. ℥jss.
Dosis ℥iij. ter die.

Tinctura Aloes.

R Aloes Socotrin. ℥viij.
Cort. winteran. ℥ij.
Spit. vini ten. lbiiij.
Aq. fontan lbvj. digere.
Dosis ℥ij. pro re nata singulo dosi
addi potest ℥j. spt. lavend co.
vel. ℥ss. syr. e spina cervina.

Tinctura

Tinctura Saturnina.

℞ Sacchar. saturni.
Vitrioli viridis ana. ʒij.
Spit. vini R. ℥ij. digere.
Dosis gtts. xx. bis die.

Tinctura Serpentariæ.

℞ Rad. serpent. virginens. ʒiij.
Spit. vini ten. ℥ij. digere.
Dosis ʒij. sexta quaque hora.

Tinctura Styptica.

℞ Vitriol calcinat. ʒj.
Spt. vini Gallic. ℥ij.
Digere in vase ligneo donec spiritus nigram colorem acquirit.
Dosis ʒij pro re nata.

Tinctura Thebaica. Ph. Lond.

Dosis a. xx. ad xxx. gtts. h. s. vel
pro re nata.

Tinctura Valerianæ.

℞ Rad. valerian sylv. ʒij.

Spt.

Spt. vini ten. ℥j. digere.
Dosis. ʒiij. ter die.

Tinctura Valerianæ Volatilis.

℞ Rad. valerian sylv. ʒiv.
Spt. volat. aromat. ℥ij. digere.
Dosis. ʒss. ter Die.

Trochisci e Nitro.

℞ Nitri. ʒij.
Sacchar alb. ℥ss.
F. Trochisci cum mucilagine Gum
tragacanth.

Pulvis Valerianæ Sylvestris.

Dosis. ʒij. ter die.

Vinum Aloeticum Alkalinum.

℞ Salis alicujus alkal. fixi ʒviij.
Aloes socotrin.
Croc.
Myrrhæ ana. ʒj.
Sal armoniac. ʒvj.

Vini

Vini montani generosi. ℥ ij. digere.
Dosis a ʒj. ad ʒiij. omni nocte.

Vinum Antimoniale.

℞ Croci metallorum. ʒj.
Vini montan. generosi. ℥jss.
Dosis gtts. xx. bis die.

Ungentum ex Althea.

℞ Ol. mucilagin. ℥ iss.
Cerae flavæ. ℥ ss.
Resin flavæ. ʒiv.
Terebinth venet. ʒj. M.

Ungentum Basilicon Flavum.

℞ Ol. olivar. ℥ ss.
Cerae flav.
Picis Burgund.
Resin flav. ana. ℥ ss.
Terebinth venet. ʒjss. M.

Unguentum Emolliens et Discutiens.

℞ Unguent. ex althea. ʒiv.
Spt. Terebinth. ʒj. M.

Un-

Unguentum Emollien cum Opio.

Ungt. emollient. ʒvj.

Opii colati. ʒss. M.

Ungentum Hæmorrhoidale.

℞ Liniment. alb. Ph. Lond. ʒjss.

Opii colati. ʒj. M.

Unguentum Mercuriale.

℞ Axung porcin. ℔j.

Argent. viv. ℔ss.

Balsam sulphur. ʒij.

Terantur simul ad perfectam mercurii
extinctionem.

This is used to raise a salivation, by rubbing two drachms of this ointment every night over the hands, arms, legs, and thighs of the patient, before a good fire; sometimes three or four unctions will raise a spitting, though in some constitutions half a pound of this medicine has been rubbed

bed in, and yet no salivation has followed. Sometimes over costiveness will prevent a salivation rising, in which case a gentle laxative will promote it.

Unguentum Ophthalmicum.

℞ Axung. Anseris. ʒj.

Tutiae ppt. ʒss. M.

Applicetur paululum oculo affect. omni nocte hora somni, vel pro re nata.

Unguentum e Pice.

℞ Picis

Sevi ovilli ana. ʒij. M.

Unguentum Epispasticum.

℞ Axung porcin.

Emplast. epispastic. Ph. Lond.

ana. ʒj.

M. super lenem ignem.

Un-

Unguentum ad Scabiem.

℞ Axung. Porcin. ℔j.
Flor. sulphur. ℥iv.
Lixivii. tartar. ℥j.
Essent. limon. 3fs. M.

Pharmacopoeia

U. M.
B. M.

Pharmacopoeia

Pharmacopoeia

Pharmacopoeia

Pharmacopoeia

Pharmacopoeia

Pharmacopoeia

Pharmacopoeia

Pharmacopoeia

Pharmacopœia

IN USUM

Nosocomii Sancti Georgii.

Prope HYDE-PARK-CORNER.

Aquæ Stillatitice Simples. Ph. Lond.

Aqua Alexeteria.

Menthæ Vulgaris.

[Ph. Lond.]

Menthæ Piperitidis.

Pulegii.

Aquæ Stillatitice Compositæ. Ph. Lond.

Aqua Alexeter. spirit. cnm aceto.

[Ph. Lond.]

Cinnamomi spirituosæ.

*Aqua Juniperi composita.**Menthæ vulg. spirituosæ.*

[Ph. Lond.]

*Nucis moschatæ.**Pulegii spirituosæ.**Aqua Camphorata.*

℞ Vitriol. Roman.

Bol. Armen. ana unc. iv.

Camphor. unc. i. M.

Hujus pulv. unc. i. affunde aq. fontan. bullient. lib. iv.

Aqua Calcis simplex.

[Ph. Lond.]

*mixta composita.**Aqua Calcis Testaceæ.*

℞ Testar. ostreor. calcinat. lib i.

Aq. fontan. bullient. cong. i. M.

Aqua Haemorrhoidalis. Ph. Lond.

Balsamum Copaivi.

Guaiacinum.

Locatelli.

[Ph. Lond.]

Peruvianum.

Sulphuris simplex.

Terebinthinae.

Traumaticum.

Bolus Mercurialis.

R Conserv. rosar. rubr. drach. ss.

Argent. viv. scrup. ss.

Terantur optimè. .ii. dil

Bolus e Rheo.

R Rad. rhei torrefact. gr. xv.

Electar. e scord. scrup. i. M.

Calx Antimonii. Ph. Lond.

Cataplasma e Cymino. Ph. Lond.

Confectio Dysentericæ.

R Farin. *avenacæ* q. d. s. loti V
M Cerat. *resolventis* q. s. M.

Confectio Medica.

R Folior. *cochlear. hortens.*
M Nasturt. *aquatic.* s. s. b. r. d. p. A.
Becabung. ana manip. iii.
Ciner. *genist.* lib. i.
Rad. raphan. *russ.*
Sem. *sinap. contus.* ana unc. iii.
Baccat. *junip.* unc. ii.
Limatur. *mart.* (sacculo inclusa)
lib. ii.
Infunde in *ceretis* veter. fort. cong.
iii. per quatridentium.

Confectio Cardiaca. Ph. Lond.

Conserua *summitatum Absinthii marit.*
[Ph. Lond.]

Fructus *Cynosbati*
Rosarum *rubrarum.*

Gallicum Katrielicum.

R Vitriol. alb. drach. ss.
Aq. fontan. bullient. unc. v. M.

Decoctum Arabicum.

R Gum. Arabic. unc. ss.
Aq. hordeat. bullient. lib. ii. M.

Decoctum Coccineum.

R Sal. nitri unc. i.
Sacchar. alb. unc. ii.
Coccinel. gr. xvi. f. pulv. qui con-
jiciatur in aq. fontan. bullient.
lib. ii.

Coque ad despumationem, & per sub-
sidentiam depurabis.

Decoctum Gretaeeum.

R Greta preparat. unc. ii.
Gum. Arab. unc. ss. f. pulv. coque
in aq. fontan. q. s. ad cong. i.

Decoctum

Decoctum Cornu Cervi compositum.

℞ C. C. C. drach. vi.

Ocul. canceror. præp. drach. iii.

Rad. symphyt. major.

Tormentil. ana drach. ii.

Aq. fontan. lib. iii.

Coque ad lib. ii. colaturæ; cui tur-
bidæ adde.

Aq. menth. pip. simp. unc. i.

Syrup. e mecon. unc. fs.

Decoctum Furfuris.

℞ Furfur. manip. iv.

Aq. fontan lib. xii.

Coque ad lib. viii.

Adde mel. Anglic. unc. iv.

Decoctum Ligni Guaiaci forte.

℞ Lign. guaiac. lib. viii.

Aq.

Aq. fluvial. cong. xvi. f. maceratio
tepida per horas sex; dein coque
per hor. vi.

Colaturæ cong. x. per subsidentiam
depura.

Decoctum Ligni Guaiaci tenue.

Fit addendo decoct. guaiac. fort.
lib. ii. aq. tepid. lib. i.

Decoctum Corticis Peruviani.

R Cort. Peruvian. crass. pulv. unc. i.

Aq. fontan. lib. iii.

Coque leni igne per tres horas; tum
sensim augeatur ignis, & coque for-
titer per tres vel quatuor horas, sic
ut liquoris colati mensurâ lib. i.
restet: adde Spir. vinos. tenuior.
unc. ii.

Decoctum

Decoctum Corticis Ulmi.

R Cort. interior. ulmi recent. unc. i.
Coque in aq. fontan. lib. ii. ad
lib. i.

Electarium ex Absinthio.

R Conserv. summit. absinth. marit.
lib. i.

Cort. Winteran. lib. ss,
Syrup zingib. q. s. M.

Electarium Acidum.

R Conserv. rosar. rubr.

Pulp. passul. exaeinat. ana unc. vi.

Spir. vitriol. fort. drach. i.

Syr. alb. unc. iv. M.

Electarium e Baccis Lauri. Pb. Lond.

Electarium

Electarium Chalybeatum.

- R Conserv. summit. abfinch. marit.
Rubig. chalyb. præp. ana lib. fs.
Rad. zingib. pulv. unc. ii.
Syrup. alb. q. f. M.

Electarium Fructus Cynosbati.

- R Conserv. fruct. cynosb. unc. i. fs.
Sperm. cet. drach. iii.
Ocul. cancr. præp. drach. i.
Syrup. alb. q. f. M.

Electarium ex Enulâ Campanâ.

- R Rad. enul. campan.
Succ. glycyrrhiz. (in aquâ solut.)
Gum. ammon. (in aceto solut.)
ana p. æ.
Syrup. ex allio q. f. M.

Electarium Guaiacinum.

- R Conserv. summit. abfinth. marit.
Cinnab.

Cinnab. antim.

Gum guaiac. ana p. æ.

Syrup. alb. q. s. M.

Electarium Lenitivum. Ph. Lond.

Electarium Lenitivum compositum.

℞ Elect. lenitiv. lib. iv.

Rad. jalap. pulv. lib. fs.

Sal. nitri unc. i. fs.

Syrup. alb. q. s. M.

Electarium Passulatum.

℞ Conserv. fruct. cynosb.

Pulp. passul. exacinat. ana unc. vi.

Sperm. ceti. unc. ii.

Spir. vitriol. fort. scrup. iv.

Syrup. alb. unc. vi. M.

Electarium Corticis Peruviani.

℞ Cort. Peruvian. pulv. lib. i.

Syrup. alb. q. s. M.

Electarium

Electarium Pbu.

- ℞ Rad. valerian. sylv. pulv. q. v.
Syrup. alb. q. f. M.

Electarium Pbu compositum.

- ℞ Rad. valerian. sylv. pulv. p. ii.
Cinnab. antim. p. i.
Syrup. zingib. q. f. M.

Electarium Piperinum Bateanum.

- ℞ Macropip. minutissimè concis.
unc. i. fs.
Summitat. rutæ unc. fs.
Sal. gem. drach. v.
Theriac. Jamaicens. unc. xii. M.

Electarium e Scammonio.

[Ph. Lond.]

e Scordio.

P

Electarium

Electarium e Seminibus Sinapis.

- ℞ Sem. sinap. integr.
Conserv. summit. absinth. marit.
ana unc. ii.
Syrup zingib. q. f. M.

Electarium e Spermate Ceti.

- ℞ Sperm. cet.
Conserv. fruct. cynosb. ana lib. fs.
Bals. Peruvian. unc. i. fs.
Test. ostreor. præp. unc. ii.
Syrup e mecon. lib. i. fs. M.

Electarium Sulphuratum.

- ℞ Electar. lenitiv. unc. ii.
Flor. sulph. unc. fs.
Syrup. alb. q. f. M.

Mithridatium.

Philonium Londinense. [Ph. Lond.]

Theriaca Andromachi.

Elixir

Elixir Aloes.

[Ph. Lond.]

Paregoricum.

Elixir Vitrioli Acidum.

℞ Cort. Winteran.

aurantior.

Calam. aromat. ana unc. iv.

Caryophyll. aromat.

Piper. Jamaicens. ana unc. ii.

Spir. vinos. tenuior. cong. ii. fs.

Digere sine calore per quatrimum;
dein cola, & sensim adde Spir. vi-
triol. fort. pondere lib. v.

Elixir Vitrioli Dulce. Ph. Lond.

Embrocatio Anodyna.

℞ Spir. sal. armoniac.

Tinct. Thebaic. ana unc i.

Spir. vinos. camphorat. unc. vi. M.

*Emplastrum Commune.**Adhæsivum.*

[Ph. Lond.]

*cum Gummi.**cum Mercurio.**Emplastrum e Cymino. Ph. Lond.**Emplastrum Cephalicum cum Euphorbio.**Ph. Lond. 1720.**Emplastrum e Bolo.*

℞ Emplast. com. q. v.

Bol. Armen. q. s. M.

Emplastrum e Galbano.

℞ Galban. lib. ss.

Thur.

Camphor.

Ol. succin. ana unc. ss. M.

*Emplastrum Melitoti. Ph. Lond. 1720.**Emplastrum*

Emplastrum e Minio.

[Ph. Lond.]

e Sapone.

Emplastrum ad Strumas.

℞ Emplastr. com. cum mercur.
e cicutâ cum Ammon.

(Ph. Edinb.) ana unc. iv.

Camphor. drachm. iii. M.

Emplastrum Vesicatorium.

℞ Pic. Burgund. unc. ii.

Emplast. melilot. unc. xiv.

Cantharid. pulv. lib. ss. M.

Enema Commune.

℞ Decoct. furfur. (sine mel.) unc. x.

Flor. chamæm. manip. i. f. infusio, &
cola.

Enema ex Amylo.

- ℞ Gelat. amyl. unc. vi.
Extract lign. Campechens. drach.
ii. M.

Enema ex Amylo Anodynum.

- Fit addendo enemat. ex amylo.
Philon. Londinens. drach. i.

Enema Oleosum.

- ℞ Enem. commun. unc. x.
Ol. olivar. unc. ii. M.

Enema Purgans.

- ℞ Enem. oleos. unc. x.
Syrup e spin. cerv. unc. i. fs.
Sal. commun. unc. fs. M.

Enema e Scordio.

- ℞ Decoct. cretac. unc. vi.
Elect. e scord. unc. fs. M.

Enema

Enema Terebintbinatum.

℞ Enem. oleos. unc. x.

Terebinth. (cum vitel. ovi solut.)
drach vi. M.

Extractum Catharticum. Ph. Lond.

*Extractum Corticis Peruviani molle &
durum.. Ph. Lond.*

Extractum Ligni Campechensis.

℞ Lign. Campechens. tenuiter con-
cisi lib i.

Coque in aq. fluvial. cong. iii.

Evapora ad extracti consistentiam.

*Extractum Ligni Guaiaci molle & du-
rum. Ph. Lond.*

Fotus e Malvâ.

℞ Folior. siccat. malvæ.

Bismalv. cum florib. ana manip. i.

Coque leviter in aq. fontan. lib. ii.

Fotus ex Absinthio.

- ℞ Summit. absinth. vulg.
Flor. chamæmel ana unc. i.
Folior. rorismar.
Lauri ficcāt. ana unc. fs.
Aq. fontan. lib. vi.

Coque leviter & cola.

Fotus ex Absinthio Compositus.

- ℞ Fot. ex absinth. lib. iv.
Aceti commun. lib. ii.
Spirīt vinos. rectific. lib. i. M.

Fotus Volatilis.

- ℞ Fot. ex absinth. q. v. adsperge
panno statim ante applicationem
spt. sal. ammon. q. f.

Gargarisma Antisepticum.

- ℞ Aq. hordeat. lib. i.
Acet. vin. alb. unc. ii.

Mel. rosac. unc. i.

Tinct. myrrh. unc. fs.

aromat. drach. ii. M.

Gargarisma Rosaceum.

℞ Decoct. furfur. lib. i.

Mel. rosac. unc. i. M.

Gargarisma e Pyrethro.

℞ Rad. pyreth. unc. i.

Coque in aq. fontan. q. s. ad colaturæ lib. i.

Gargarisma e Pyrethro volatile.

℞ Gargarism. e pyreth. lib. i.

Spt. sal. ammon. unc. fs. M.

Gargarisma Vitriolatum.

℞ Gargarism. rosac. lib. i.

Adde spt. vitriol fort. scrup. ii.

Gargarisma

Gargarisma Volatile.

- ℞ Decoct. furfur. unc. viii.
Spt. vinos. tenuior. unc. iv.
sal. ammon. drach. i. M.

Haustus Anodynus.

- ℞ Haust. cardiac. unc. i. fs.
Tinct. Thebaic. gutt. xx. M.

Haustus Camphoratus.

- ℞ Camphor. scrup. fs.
Mel. Anglic. scrup. i.
Aq. puleg. simp. unc. ii. M.

Haustus Cardiacus.

- ℞ Aq. alexet. simp. unc. i. fs.-----
junip. comp. unc. fs.
Syrup. alb. q. f. M.

Haustus Cardiacus cum Mithridatio.

- ℞ Haust. cardiac. unc. ii.
Mithrid. scrup. i. M.

Haustus Cardiacus cum Phu.

- ℞ Haust. cardiac. unc. ii.
Rad. valerian. sylv. pulv. drach.
fs. M.

Haustus Emeticus.

- ℞ Vin. emet. filtrat. unc. fs.
Rad. ipecac. pulv. scrup. i.
Aq. alexet. simp. unc. i. M.

Haustus Emeticus Scilliticus.

- ℞ Haust. emet. unc. i. fs.
Oxymel scill. unc. fs. M.

Haustus e Mithridatio.

- ℞ Mithrid. scrup. i.
Acet. vin. alb. opt. unc. fs.
Aq. alexet. simp. unc. i.
nuc. moschat. drach. ii.
Syrup alb. drach. i. M.

Haustus

Haustus Oleosus.

- ℞ Ol. amygdalin. drach. vi.
Aq. puleg. simp. unc. i.
nuc. moschat.
Syrup ex. alth. ana drach. ii. M.

Haustus Oleosus cum Rheo.

- ℞ Tinct. rhei unc. i. fs.
Ol. amygdalin. unc. fs.
Syrup e mecon. drach. ii.
Tinct. Theb. gutt. xv. M.

Haustus Purgans.

- ℞ Infus. fen. unc. iii.
Syrup e spin. cerv. unc. i.
Aq. junip. comp. drach. iii. M.

Haustus Salinus.

- ℞ Sal. absinth. drach. fs.
Spir. vitriol ten. gutt. xxx. vel q.
f. ad saturationem plenam; adde
aq.

aq. menth. vulg. unc. i. fs.

alexet. spirit. cum acet.

drach. ii.

Syrup alb. drach. i. M.

Haustus Salinus Croceus.

℞ Hauſt. ſalin. unc. ii.

Pulv. crocei ſcrup. i. M.

Haustus Salinus cum Mithridatio.

℞ Hauſt. ſalin. unc. ii.

Mithrid. ſcrup. i.

Haustus Salinus cum Oxymelle ſcillitico.

℞ Hauſt. ſalin. unc. ii.

Oxymel. ſcillit. drach. ii. M.

Haustus Salinus cum Phu.

℞ Hauſt. ſalin. unc. ii.

Rad. valer. ſylv. pulv. ſcrup. i. M.

Q

Haustus

Haustus Salinus cum Rheo.

- ℞ Haust. salin. unc. ii.
Rad. rhei pulv. scrup. fs. M.

Haustus Salinus Succinatus.

- ℞ Haust. salin. unc. ii.
Sal. succin.
Castor. Ruff. ana scrup. fs. M.

Haustus Saponaceus.

- ℞ Sapon. Castil. drach. i.
Solve in aq. fontan. tepid. unc. ii.
Adde aq. junip. comp.
Syr. ex. alth. ana drach. ii.

Haustus Scilliticus.

- ℞ Acet. scillit. drach. i.
Aq. fontan. drach. x.
junip. comp. drach. iii.
Syrup ex. alth. drach. i. M.

Haustus Volatilis.

Sal. C. C. scrup. fs.
Aq. puleg. simp. unc. ii.
Syrup alb. drach. i. M.

Haustus Volatilis Oleosus.

R Sal. C. C. scrup. fs.
Aq. puleg. simp. drach. x.
Ol. amygdalin. unc. fs.
Syrup ex. alth. drach. ii. M.

Infusum Amarum.

R Rad. gentian.
Cort. aurantior. ana unc. xii.
Aq. fontan. bullient. cong. x.
Adde spir. vin. tenuior. lib. viii.

Infusum ex Allio.

R Rad. enul. campan.
Allii concis. ana unc. i.
Rad. glycyrrhiz. drach. iii.

Q₂

Sem.

Sem. anisi.

Carui ana unc. fs.

Infunde in aq. fluvial. lib. vi. & cola.

Infusum Raphani.

R Rad. raph. rustic.

Sem. sinap. contus. ana unc. ii.

Flaved. cort. aurant. unc. i.

Cort. Winter. unc. fs.

Infunde leni calore in aq. font.
lib. ii.

Adde spir. vin. ten. unc. iv.

Infusum Sencæ.

R Fol. sen. unc. i. fs.

Chryst. tartar.

Sem. carui ana drach. iii.

Aq. font. bullient. lib. i.

F. Infusio & cola.

Injectio

Injeſtio Arabica.

- ℞ Aq. hordeat. bullient. lib. i.
Mel. roſar. unc. i. ſs.
Gum. Arab. drach. iii. M.

Injeſtio Camphorata.

- ℞ Aq. camphor. lib. i.
Mel. Ægyptiac. drach. iii. M.

Injeſtio Terebinthinata.

- ℞ Terebinth. Venet. (in vitel. ovi ſo-
lut.) unc. ſs.
Decoſt. Arab. lib. i. M.

Julepum Acidum.

- ℞ Aq. font. lib. iv.
Aq. alex. ſpir. cum acet. lib. i.
Syrup ex acet. unc. vi. M.

Julepum Cretaceum.

- ℞ Julep. e cret. P. L. lib. ii.

Q 3

Adde

Adde ol. carui (cum sacchar. trit.)
gutt. v.

Fulepum Pulegii.

℞ Aq. puleg. simp. lib. i.
spirituos. unc. iv.
Sacchar. alb. unc. i. M.

Linctus.

℞ Ol. oliv. unc. iii.
Syr. e mecon.
ex alth. ana unc. i. fs.
Sacchar. alb. q. f. M.

Linimentum Bituminosum.

℞ Pissel. Indic.
Lixiv. tartar. ana p. æ. M.

Linimentum Camphoratum.

℞ Fol. rorismar. unc. viii.
Spir. vin. rectific. cong. ii. f. infusio
per triduum,

- ℞ Hujus tinct. lib. ii.
Sapon. Castil. unc. iv.
Camphor. unc. ii. M. & digere
leni calore.

Linimentum Oleosum.

- ℞ Ol. e ped. bovin. lib. i.
Ol. terebinth. unc. ii.
Sapon. Castil. unc. iii. M.

Linimentum Volatile. Ph. Lond.

Mixtura ex Ammoniaco.

- ℞ Lact. ammon. P. L. unc. vi.
Aq. font. unc. iv. M.

Mixtura ex Ammoniaco cum Oxymelle.

- ℞ Mixt. ex ammon. unc. x.
Oxymel, scillit. drach. x. M.

Mixtura

Mixtura Fracastorii.

- ℞ Aq. alex. simp. unc. vi.
nuc. moschat. unc. i.
Elect. e scord. drach. iii. M.

Mixtura Laxativa.

- ℞ Fol. Sen. unc. xii.
Sem. carui,
Crem. tartar. ana. unc. iii.
Aq. font. bullient. cong. i. f. infusio.
Colaturæ adde mann. unc. iv.
Tinct. sen. lib. i. fs. M.

Mixtura e Spermate Ceti.

- ℞ Sperm. cet. (in vitel. ovi solut.)
drach. ii.
Aq. alex. simp. unc. vi.
nuc. moschat. unc. i.
Sacchar. alb. drach. i. fs. M.

Mixtura

Mixtura e Spermate Ceti Composita.

- ℞ Mixt. e sperm. cet. unc. vii.
Syr. e mecon. unc. i.
Bals. Peruv. (cum sacchar. solut.)
gutt. xl. M.

Mixtura e Spermate Ceti Volatilis.

- ℞ Sperm. cet. (in vitel. ovi solut.)
drach. ii.
Aq. alex. simp. unc. viii.
Sal. C. C. scrup. ii.
Sacchar. alb. drach. iv. M.

Pilulæ Aromaticæ. Ph. Lond.

Pilula Calomenalos.

- ℞ Calomel, gr. v.
Conf. rosar. rubr. q. f. f. pilul.

Pilulæ Chalybeatæ.

- ℞ Rubig. chalyb. præp. unc. i.
Extract gentian. q. f. f. pilul. xlviiii.

Pilulæ

Pilulæ ex Colocynthide Simpliciores.

[Ph. Lond.]

*cum Aloe.**Pilulæ Ecphrasticæ. Ph. Lond.**Pilulæ Fætidæ.*

℞ Assa fœtid. q. v.

Tinct. fulig. q. s. M.

Pilulæ Fætidæ Compositæ.

℞ As. fœtid.

Camph.

Myrrh. ana drach. i.

Sapon. Castil. drach. ii.

Tinct. fulig. q. s. M.

*Pilulæ Gummosæ. Ph. Lond.**Pilulæ Mercuriales.*

℞ Argent. viv. unc. iii.

Syr. ex alth. q. s.

Rad.

Rad. jalap. pulv. unc. i.
zingib. drach. ii. M.

Pilulæ Pectorales.

℞ Gum Ammon. unc. i. fs.
Rad. enul. campan. pulv.
Bals. sulph. simp. ana unc. fs.
Syr. ex alth. q. f. M.

Pilulæ Rufi. Ph. Lond.

Pilulæ e Sagapeno.

℞ Sagapen. unc. i.
Rad. valer. sylv. pulv. unc. ii.
Sapon. Castil. drach. ii.
Elix. alöes q. f. M.

Pilulæ Saponaceæ.

℞ Sapon. Castil. unc. fs.
Gum guaiac. scrup. iv.
Syrup. alb. q. f. M.

Pilulæ

Pilulæ Scilliticæ.

- ℞ Pulp. scill. recent. scrup. iv.
Rad. zingib. pulv. scrup. ii.
Syr. ex allio q. f. M.

Pilulæ Terebinthinatæ.

- ℞ Pulv. glycyrrhiz. unc. ii.
Terebinth. Venet. q. f. M.

Antimonium Præparatum. Ph. Lond.

Æthiops Mineralis. Ph. Lond.

Pulvis Aluminosus.

- ℞ Alum. crud.
Terr. Japon. ana p. æ. f. pulv.

Pulvis Anodynus.

- ℞ Nitri purifs.
Tartar vitriolat. ana unc. iv.
Simul in pulverem subtilem re-
dact.

daet. in crucibulum candens
inijce: agitetur mixtura donec
deflagretur, & scintillatio de-
finat: tunc in pulverem redige,
& adde opii concisi, unc. i.

Iterum in pulverem subtilem
tritis, sub finem adjice.

Pulv. Ipecac. Glycyrrh. ana unc. i.
& probè misceantur omnia ut.
f. pulv. subtilissimus.

Pulvis Antilyssus. Ph. Lond.

Pulvis e Bolo compositus sine opio.

[Ph. Lond.]

cum opio.

Pulvis Chamæmelinus.

R Flor. chamæm. pulv. drach. iii.

Alum rup.

Myrrh. ana drach. i.

M. f. pulv.

Pulvis Coccineus.

℞ Sacchar. alb.
Nitri ana lib. i.
Coccinel. unc. fs.
M. f. pulv.

Pulvis Contrayervæ Compositus.
*Ph. Lond.**Pulvis Corallinus.*

℞ Corallin.
Sem. fanton. ana unc. i.
M. f. pulv.

Pulvis Croceus.

℞ Pulv. contrayerv. co. unc. iv.
Croc. Anglic. unc. i.
M. f. pulv.

Pulvis e Jalapio.

℞ Rad. jalap. drach. vi.
zingib. drach. ii.
M. f. pulv.

Pulvis e Jalapio cum Nitro.

- ℞ Pulv. e jalap. unc i.
Nitri pulv. drach. ii. M.

Pulvis Nitrosus.

- ℞ Nitri unc. i.
Tart. Rhenan.
Sulph. viv. ana drach. ii.
M. f. pulv.

Pulvis Plummeri.

- ℞ Calomel.
Sulph. aurat. antim. ana p. æ.
M. f. pulv. subtilissimus.

Pulvis Prunellæ.

- ℞ Sal. prunel. drach. vi.
Test. ostreor. drach. ii.
M. f. pulv.

Pulvis Prunellæ compositus.

- ℞ Pulv. prunel. unc. i.
Pulv. crocei drach. ii M.

Pulvis e Rheo.

- ℞ Rad. rhei pulv. unc. fs.
Pulv. crocei drach. ii. M.

Pulvis Rubicundus.

- ℞ Sacchar. alb.
Sperm. cet.
Nitri ana lib. ii.
Coccinel. unc. i.
M. f. pulv.

*Pulvis e Scammonio compositus. Ph. Lond.**Pulvis Spongiæ.*

- ℞ Spong. ust. unc. fs.
Nitri drach. ii.
M. f. pulv.

Pulvis

Pulvis e Stanno.

℞ Stann. pulv. unc iii.
Corallin. pulv. unc. i. M.

Pulvis Sulphuratus.

℞ Flor. sulph. lot. unc. i. fs.
Test. ostreor. drach. ii.
Coccinel. scrup. ii.
M. f. pulv.

Mercurius Alkalizatus.

℞ Argent. viv. unc. iv.
Cret. præp. unc. vi.
Probè terantur simul.

Vitrum ceratum Antimonii.

℞ Ceræ citrinæ in cochleari ferreo
liquefactæ drach. i.
Injice vitri antim. pulv. unc. i.

R 3

Lento

Lento igni, sine flammâ, statim ad-
mota massa per horæ dimidium
spathulâ perpetuò agitetur.

Deinde ab igne amotam, effunde su-
per chartam purissimam : denique
in pulverem subtilissimum redi-
gatur.

Sal catharticus amarus.

[Ph. Lond.]

Glauberi.

Sal & Oleum Succini. Ph. Lond.

Sal & Spiritus Cornu Cervi. Ph. Lond.

Spiritus Lavendulæ compositus. Ph. Lond.

Spiritus Mindereri.

℞ Acet. destillat. q. v.

Sensim instilla spir. sal. ammon.
donec cesset effervescentia.

Spiritus

Spiritus Salis Ammoniaci.

Sulphuris per Campanam.

Vitrioli dulcis.

[Ph. Lond.]

tenuis & fortis.

volatilis Aromaticus.

Syrupus Albus, sive simplex.

ex Allio.

ex Althæâ.

Croci.

[Ph. Lond.]

e Meconio.

e Spinâ cervinâ.

Zingiberis.

Syrupus ex Aceto.

℞ Sacchar. alb. lib. v.

Solve leni calore in acet. opt. lib. ii.

Tinctura

*Tinctura Amara.**Aromatica.**Cantharidum.**Cardamomi.**Castorei.**Cort. Peruv. simp.**volatilis.**Guaiacina volatilis.**Jalapii.*

[Ph. Lond.]

*Martis in spir. Salis.**Melampodii.**Myrrhæ.**Rosarum.**Saturnina.**Styptica.**Thebaica.**Valerianæ volatilis.**Tinctura Antimonialis.*

℞ Vin. antim. drach. vi.

Tinct. Thebaic. drach. ii. M.

Tinctura Aurea.

℞ Elix. aloes, unc. ii.

Tinct. mart. in spir. sal. drach. vi.

M.

Tinctura Fuliginis.

℞ Af. fœtid.

Sal. vol. ammon. ana unc. i.

Fulig. lign. unc. ii.

Spir. vinos. rectific. lib. ii.

M. & digere, leni calore.

Tinctura Hieræ Picræ.

℞ Specier. hier. picr. (P. L. 1720.)
unc. i. fs.

Spir. vinos. ten. lib. i.

Aq. font. lib. fs.

M. & digere leni calore.

Tinctura

Tinctura Rhei.

℞ Rad. rhei pulv. unc. iii.
Sem. coriand.
Cort. Winter. ana drach. ii.
Spir. vinos. ten. lib. ii.
Aq. fontan. lib. i.
M. & digere leni calore.

Tinctura Senæ.

℞ Uvar. pass.
Fol. Sen. ana unc. xvi.
Sem. carui unc. iii.
Spir. vinos. ten. cong. i.
Digere sine calore per tres septimanas,
deinde cola.

Unguentum Basilicon flavum.

℞ Ol. oliv. lib. xvi.
Ceræ citrin.
Resin. flav. ana unc. xiv. M.

Ungu-

Unguentum Cæruleum fortius.

[Ph. Lond.]

mitius.

Unguentum Citrinum.

R Argent. viv. unc. i.

Spir. nitri q. f.

Solve in vase vitreo, dein sensim

affunde butyri vel axungiae li-

quefact. lib. i.

Agitetur mixtura donec frigescat.

Unguentum e Gummi Elemi. Ph. Lond.

Unguentum e Pisselæo.

R Pissel. Indic. unc. i.

Sulph. viv. unc. iii.

Flor. sulph.

Ceræ citrin. ana drach. iii.

Ol. oliv. q. f. M.

Uuguentum Sambucinum. Ph. Lond.

Unguentum Sloanianum.

- ℞ Tutiae præp. unc. i.
Lapid. hæmatit. præp. scrup. ii.
Aloes pulv. gr. xii.
Margarit. præp. gr. iv.

Terantur simul in mortario marmoreo
cum. q. f. axung. viperin. curat.
& f. Unguent.

Unguentum Sulphuratum.

- ℞ Sulph. viv. lib. ii.
Axung. porcin. lib. iv.
Lixiv. tart. unc. iv. M.

*Unguentum Tutiae. Ph. Lond.**Ceratum Turneri.*

- ℞ Ol. oliv. lib. xvi.
Axung. porcin.
Ceræ flav. ana lib. xiv.
Lapid. calaminar. præp. lib. xi. M.
Ungu-

Unguentum Vesicatorium perpetuum.

℞ Ung. basil. flav. lib. i.
Cantharid. pulv. unc. ii. M.

Unguentum Viride.

℞ Ung. basil. flav. lib. i.
Ærugin. præp. drach. ii. M.

Unguentum Vitriolatum.

℞ Axung. porcin. lib. fs.
Flor. sulph. unc. ii.
Vitriol alb. unc. i. M.

Nov. 1891

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

Pharmacopœia Chirurgica

I N U S U M

Nosocomii Divi Bartholomæi.

Aqua Optthalmica.

- ℞ Vitriol. alb. ʒss.
Camphor, ʒss.
Aq. bullient. ʒvj.

Aqua Optthalmica Altera.

- ℞ Vitriol. alb. gr. x.
Aq. fontan. ʒj.

Lotio Epulotica. P. Potts.

- ℞ Vitriol. alb. ʒvj.
Camphor. ʒiij.
Aq. bullient. ℥ij.

Balsamum Digestivum.

℞ Ol. Hyperic. ℥xii.
Liniment. Arcæi. ℥iv. M.

Bolus Restrings.

℞ Pulv. Rhei. ʒj.
Ipecacoanhæ, gr. iv.
Philon. Londinens. ʒfs. M.
F. bolus omni nocte sumendus.

Pulvis Emolliens.

℞ Fol. althææ.
malvæ ana manip. viii.
Flor. Chamæmeli.
meliloti.
sambuci ana manip. iv.
Sem. lini.
Fænugræci ana ℥bj.
Terantur simul in pulverem subtilissi-
mum.

Cata-

Cataplasma Anodynum. Ed. Nourse.

℞ Sem. lini. ℥j.
Aq. fontan. ℔ij.
Coque ad, ℔j.
Liquori colato adde opii colati ℥ij.
Pulv. emollient. ℥xii.
& f. Cataplasma.

Cataplasma Maturans.

℞ Rad. lilior. alb.
ceparum.
Caricarum ana ℥j.
Pulv. sem. lini. ℥j.
Coque in aq. fontan. q. s. ad mol-
litudinem idoneam.
& adde picis Burgund. ℥j.

Cataplasma Astringens.

℞ Farin. fabarum.
tritici ana ℥iiij.
Aluminis rupei.

Balaustin.

Nuc. cupress. ana ʒj.

Fol. rosar. R. ʒvj.

Ol. rosar. ʒiij.

Albumin. ovor. ii.

Aceti q. s. ad idoneam consistentiam.

Sinapismus.

℞ Farin. avenar.

sinapios. ana p. æ.

Aceti acerrimi, q. s.

Cataplasma Optbalmicum.

℞ Coagul. aluminos. lb ss.

Pulv. flor. rosar. rub. q. s.

Ad idoneam consistentiam.

Cataplasma Alterum.

℞ Mucilag. sem. lini. ʒviij.

Farin. sem. lini. q. s. M.

Bougie

Bougie.

℞ Mercur. crud. ℥iij.
Plumbi. ℥ij. F. amalgamæ.
Antimon. crud. ppt. ℥j.
Ceræ. flav. ℔j. M.

Ditto.

℞ Ceræ. flav. ℔j.
Terebinth. argentor. ℥iv.
Cinnab. Antimon. ℥j. M.

Ceratum Viride.

℞ Emplast. diapalmæ.
Ung. sambucin. ana p. æ. M.

Ceratum Citrinum.

℞ Ol. lini. ℔iij.
Ceræ flavæ. ℔ij. M.

Ceratum Commune.

℞ Emplast. commun.

Ung.

Ung. nutrit. ana ℥ij.

Basilic. nig. ℥j. M.

Ceratum Saponaceum.

℞ Litharg. auri. pulv. ℥j.

Aceti acerrimi, cong. i.

Sapon. hispan. ℥ss.

Ceræ. flavæ. ℥x.

Ol. olivar. ℥j.

Solve sapon. ℥ij. in acet. ℥ij.

Misce cum lithargyro, & evapora
super lenem ignem.

Tunc adde Sapon. ℥ij.

Aceti ℥ij.

Et evapora donec tota quantitas aceti
evaporetur.

Repete ad quatuor vices, adde oleum
& ceram, & discute donec mixtura
soluta fuerit, tunc remove ab igne,
ut F. ceratum.

Collyrium Ceruleum.

℞ Aq. calcis. ℥ ss.

Sal. ammoniac. crud. 3 ss.

Stent simul in vase cupreo per horas xii.

Electarium Specificum.

℞ Mercur. crud. ʒj.

Conserv. rosar. R. ʒ i ss.

Syr. simp. ʒ ss.

Terantur simul in mortario marmoreo
donec globuli mercuriales penitus
evanescent.

Dosis, Q. N. M. bis die.

Ditto.

℞ Elect. lenitiv.

Mercur. alkalizat ana ʒj.

Pulv. G. olibani.

Syr. rosar. sol. ana ʒ ss. M.

Dosis, Q. N. M. bis die.

Emplastrum

Emplastrum Adhæsivum.

℞ Ras. Ichthyocol. ʒij.

Spt. vini. ten. ℥j.

Tinct. Benzoin. ʒj. M.

This is the original receipt for preparing the Lady's Black Sticking-Plaister.

Epithema Ophthalmic.

℞ Pulv. aluminis. ʒvi.

Albumin. ovi. unius.

Bol. armeniac.

Conserv. rofar. R. ana ʒvi. M.

Linimentum Discutiens.

℞ Liniment. Opodeldoch, ʒiij.

Ol. lumbricor. ʒij.

origani.

lavendulæ ana gtts. aliquot.

Ditto.

Ditto.

- ℞ Pissel. Barbadens. ʒ ss.
Ol. origani.
Spt. sal. vol. armon. ana ʒ ss.
lavend. co. ʒj.
Pulv. euphorbii. ʒ ss. M.

Fomentatio Ophthalmica.

- ℞ Capit. papav. alb. contus. cum seminibus ʒvj.
Coque in lact. & aq. ana lb ss.
Ad consumptionem dimidii liquoris colato adde vitriol. alb. ʒj.
Sacchar. saturni. ʒj. M.

Fomentatio Astringens.

- ℞ Cort. quercin.
granator. ana ʒj.
Fol. Rosar. R. M. i.
balaustini, ʒ ss.

Coque

Coque in vin. Rub. acid.

& aq. calcis ana p. æ.

Gargarisma Detergens & Astringens.

℞ Decoct. Cort. querci. ℔j.

Spt. vini. R. ℥ij.

Tinct. myrrh. ℥j. M.

This was used very successfully, to wash the mouth ten or twelve times a day, after removing a large fungus from the under jaw.

Expressio Millepedum.

℞ Milleped. viv. ℥iv.

Contunde in mortario, marmor.
cum julap. commun. ℔iss.

Liquoris expressi. ℥ij. adde.

Sal. polychrest. ℥ij.

Mellis anglic. ℥j. & F.

Haustus bis die sumendus.

Injectio

Injeſtio ad Fluorem Album.

- ℞ Sacchar. ſaturni. ʒ ij.
Elect. e ſcordio. ʒ iſs.
Aq. calcis, ℔ ij.

Injeſtio ad Gonorrhœam.

- ℞ Elect. e ſcordio. ʒ j.
Sacchar. ſaturni. gr. viii.
Aq. calcis. ℔ ſs.

Lotio ad Scabiem.

- ℞ Mercur. ſublumat. corroſ. ʒ ſs.
Vitriol. alb. ʒ iij.
Aq. fontan. tepid. ℔ j.

Spiritus Diſcutiens vel Mindereri.

- ℞ Sal. ammoniac. crud. q. ſ. ad perfectam ſaturationem aceti vini alb. acerrimi ℔ ij.

This is a moſt admirable diſcutient ;
it diſperſed a tumour in a girl's
T knee,

knee, which, from the fluctuation, appeared to contain at least an ounce of a glairy fluid.

Pilulæ Æthiopicæ.

℞ Argent. viv.
Sulph. aurat. antimon. ana ℥iv.
Gum Guaici. ℥ij.
Sapon. Castell. ℥iv.

F. massa. Pilularis cum q. s. fyr. simp.

Dosis 3 vel. 4 bis die.

Pilulæ Mercuriales. P. Potts.

℞ Argent. viv. ℥ij.
Spt. Terebinth, gtts. xxx.
Syr. e spin. cervi ℥ss.
Pulv. glycyrrhiz. q. s.

Dosis a gr. x. ad ℥ss. omni nocte.

Ditto.

℞ Argent. viv. gr. vij.

Turpeth.

Turpeth. mineral. gr. i.

Extract. opii. vix gr. i.

F. Pilula omni nocte sumend.

Ditto. Ed. Nourse.

R Argent. viv.

Syr. e spin. cervi.

Mell. clarificat. ana ʒj.

Pulv. jallap. ʒx.

F. pill. vj. ex quovis drachma.

Dosis i omni nocte.

Pilulæ Resringentes.

R Pulv. cort. peruv.

G. olibani. ana ʒss.

Pulv. rhei. ʒij. f. massa cum

Terebinth. argentor. q. s.

Dosis Pill. iij. vel. iv. bis die.

Pilulæ ex Olibano.

R G. olibani.

T 2

Merc.

Merc. alkalizat. ana ʒss.
 Pulv. rhei. ʒij.
 Syr. rosar. solut. q. s. f. f. massa.
 Dosis Pill. ij. vel. iij. bis die.

Decoctum Astringens.

℞ Cort. granator.
 Flor. balauft.
 rosar. R. ana ʒij.
 Coque in aq. puræ ℔iv.
 Ad consumptionem partis dimidii.
 Liquori colato adde lact. vac-
 cin. ℔ij.

Capiat æger pro potu communi.

Pulvis Causticus.

℞ Lixiv. Sapon. ℔j.
 Coque ad ʒviij. & adde
 Calcis. viv. pulv. ʒvij. M.
 Servetur pulvis pro usu in vase vitreo
 bene clauso.

Pulvis

Pulvis Epuloticus.

- ℞ Lap. calaminar. ppt.
Pulv. myrrh, ana p. æ. M.

Pulvis Dentrificus.

- ℞ G. myrrh.
Alumin. rupei.
Sang. dracon.
Creon. Tartar. ana ʒ ss. M.

Bolus e Sarsaparilla.

- ℞ Pulv. Sarsaparill. ʒ ss.
G. guaici. ʒ ss.
G. arabici. ʒ j.
Bals. copaiv. q. f. f. bolus.

This is frequently ordered by Mr. Potts
to be taken every morning in a
Gleet, remaining after a Saliva-
tion.

*A successful Method of Cure in the Dead
Palsy, by J. F.*

℞ Tinct. sacrae. ʒj.
Spt. terebinth. ʒss.
Syr. e spina. C. ʒvj. M. F. haust.
Omni nocte. h. s. sumendus.

℞ Spt. terebinth.
Ol. origani, ana ʒj.
succini, ʒij.
Ung. ex althea. ʒij. M.
F. Linimentum quo inungantur partes
affect. pro re nata.

Tinctura Paralytica.

℞ Cort. peruvian.
Rad. valerian. sylv. ana ʒss.
Spt. sal. vol. ol. ʒv.
Digere per dies quatuor in vase vitreo
bene clauso, & cola.
Dosis a gtts. xxx. ad ʒj. ter die.

Tinctura

Tinctura Myrrhæ.

℞ Myrrh.

Aloes Socotrin.

Sang. dracon.

Sarcocol.

Olibani, ana ʒ ss.

Euphorbii, ʒ iij.

Digere per tres septimanas in spt.
vini. ten. ℔ iij.

Unguentum Basilicon Flavum.

℞ Refin. flav.

Ceræ. flav.

Sevi ovilli. ana ℔ ss.

Ol. lini. ʒ x.

Terebinth. venet. ʒ iij. M.

Unguentum Basilicon. P. Potts.

℞ Ceræ. flav.

Sevi ovilli. ana ℔ ss.

Ol. lini. ℔ j.

Terebinth. venet. ʒ iv. M.

Unguentum e Pice.

R Pissel. Barbados.
Sevi ovilli ana P. Æ. M.

Ditto.

R Picis. liquid.
Ung. citrin. mercur. ana P. Æ.

Unguentum Optbalmicum.

R Tutia ppt.
Lap. calaminar. ppt. ana 3j.
Camphoræ, 3j.
Vitriol. alb. 3fs.
Ung. sambucin. 3ij. M.

This receipt is taken from the experience of a very eminent person, who used it many years with great success in disorders of the eyes.

Ungu-

Unguentum Saturninum.

℞ Calomel. ppt. ʒij.

Aq. calcis. recent. ℥ss.

Stent simul per dies ii. tunc cola.

℞ Pulv. hujus.

Plumbi. nig. lævigat ana ʒij.

Ung. flor. sambuci, ʒj. M.

This application was once made use of in a noli me tangere, when it succeeded happily; many things had been tried before, without success. It also once cured a very bad cutaneous disorder, of the scorbutic leprous kind, which was spread over both arms, in great blotches.

The

The following method cured a girl of a contraction of the muscles, in the calf of her left leg, under which she had laboured some months; and by means whereof, her foot was drawn quite inwards, so that she could not put it to the ground.

Applicetur Epispast. Suri Sinist.

℞ Pulv. Ipecacoan. ʒ ss. bis septimana.

℞ Pulv. valerian. sylv. ʒ ss. sexta quaque hora.

Balneum Calidum bis septimana.

In scrophulous tumours of the glands, the following method bids fairest to effect a cure.

℞ Antimon. crud. ppt.

Spong. ust. ana ʒj.

Calomel. ppt. gr. i. M.

F. Pulvis omni mane & h. s. fumend. superbibend. ℥ ss. aq. marinæ.

But to say the truth, the success depends chiefly on the Sea Water, which succeeds as well when used singly.

Pharma-



THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX AND TILDEN FOUNDATIONS
155 WEST 44TH STREET
NEW YORK 18
This book is loaned to the
Library of the City of New York
on the 10th of May 1898
and is to be returned to the
Library of the City of New York
on the 10th of May 1899

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX AND TILDEN FOUNDATIONS
155 WEST 44TH STREET
NEW YORK 18

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX AND TILDEN FOUNDATIONS
155 WEST 44TH STREET
NEW YORK 18

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX AND TILDEN FOUNDATIONS
155 WEST 44TH STREET
NEW YORK 18

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX AND TILDEN FOUNDATIONS
155 WEST 44TH STREET
NEW YORK 18

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX AND TILDEN FOUNDATIONS
155 WEST 44TH STREET
NEW YORK 18

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX AND TILDEN FOUNDATIONS
155 WEST 44TH STREET
NEW YORK 18

Pharmacopœia Chirurgica
IN USUM
Nosocomii Divi Thomæ.

Acetum Acerrimum.

Aqua Calcis.

℞ Calcis viv. ℥ ijss.
Aq. bullient. cong. i.

Aqua Phagedenica.

℞ Aq. calcis. ℥ j.
Merc. sublimat. corros. ʒ j. M.

Aqua Vitriolica.

℞ Vitriol. Roman. ʒ ij.
Aq. fontan. ℥ ij. M.

U

Bougie

Bougie.

℞ Argent. viv.
 Plumbi ana ʒij. f. amalgama.
 Antimon. crud. ppt.
 Terebinth. venet. ana ʒiij.
 Ceræ alb. ʒxvi. M.

Vide Pharmac. Chirurg. Nos. Divi
 Bartholomæi.

Cataplasma e Cicuta.

℞ Foment. e Cicuta, ℥j.
 Farin. avenac. q. s.
 Ol. olivar. ʒij. M.

Cataplasma Commune.

℞ Fomentation. commun. ℥j.
 Farin. avenac. q. s.
 Ol. olivar. ʒvj.
 Spt. vini. R. ʒij. M.

Cata-

Cataplasma Discutiens.

℞ Fæcum cerevis. acid. ℥j.

Farin. avenac. q. s.

Coque ad consistentiam cataplasomatis
& adde Ol. Olivar. ℥vj.

Cataplasma Emolliens.

℞ Mic. panis recent. q. v.

Lact. vaccin. q. s.

Coque ad idoneam consistentiam.
& adde Ol. olivar. ℥ij. vel. ℥iij.

Cataplasma Repellens.

℞ Aceti acerrimi, ℥j.

Coque ad consistentiam idoneam
cum q. s. farin. avenac. & adde
Ol. olivar. ℥vj.

Causticum Commune. Ph. Lond.

Causticum Lunare.

℞ Cryſtallor. argent. ʒj.

Digere in crucibulo amplo leni igne donec ebullitio ceſſat, ſenſim augeatur ignis donec Argentum fluat inſtar olei, tum infundatur fiſtulæ ferreæ (ad id paratæ) calefactæ et ſevo inunctæ, & ſervetur in vaſe vitreo bene clauſo.

Ceratum Citrinum.

℞ Ol. Olivar, ℔iſs.

Ceræ flavæ, ℔j. M.

Ceratum Epuloticum.

[Ph. Lond.]

*Mercuriale.**Emplaſtrum Adhæſivum.*

Commune.

[Ph. Lond.]

Mercuriale.

Emplaſtrum

Emplastrum Roborans.

℞ Emplast. commun. ℔v.
Calcanth. Rub. pulv. ℔j.
M. cum paululo. Ol. Olivarum.

Fomentatio Communis.

℞ Fol. absinth.
lauri.
rorismarin, ana ℔ss.
Coque in aq. fontan. q. s.
Ad colat. cong. i.
Interdum Spt. vini R. vel.
Spt. vini Camphorat. ℥ij.

Fomentatio e Cicuta.

℞ Cicut. arid. ℥iv.
Coque in aq. fontan. cong. ifs.
ad cong. i.

U 3

Hemlock

Hemlock has been greatly recommended in Cancerous Cases, by Dr. Storck, of Vienna. This Fomentation, and the Hemlock Cataplasm, are used externally during the time the patient takes the Extract of this Plant inwardly.

The method of taking the Extract of Hemlock, is to begin with taking only two grains, night and morning, which may be gradually increased, to the quantity of thirty grains in the twenty-four hours.

Fumigatio.

Fit ex cinnabar. nativ. ℥j.

Pulvis Angelicus.

℞ Mercur. corrosiv. rub.
Aluminis. ust. ana p. æ.

• *leum*

Oleum e Pedibus Bovinis.

Olivarum.

Terebinth.

Tinctura Myrrhæ.

℞ G. myrrh. pulv. ʒij.

Spt. vini R.

Ten ana ℔ ss.

Digere.

Unguentum Detergens.

℞ Sevi porcin. ℔j.

Mercur. corros. rub. ʒifs. M.

Ditto.

℞ Cerat. citrin. ℔j.

Merc. corros. rub. ʒifs. M.

Unguentum Digestivum.

℞ Ceræ flavæ.

Resin. flavæ.

Terebinth. ana ℔v.

Ol. Olivarum, ℔vj. M.

Unguentum Digestivum Viride.

℞ Ung. digestiv. ℥j.
Ol. olivar.
Pulv. Æruginis. ana ʒij. M.

Unguentum e Gum Elemi.

℞ Sevi ovilli. ℥iij.
Gum elemi. ℥ifs.
Terebinth venet. ℥j.
Ol. olivarum. ʒvj.
M. super lenem ignem.

Unguentum Ægyptiacum.

[Ph. Lond.]

Tripharmacum.

F I N I S.

T A B U L A

Ostendens, quâ proportionē simplicita medica-
menta purgantia, narcotica, et mercurialia,
in compositis, quibus occurrunt, continen-
tur.

Pulvis e bolo compo- situs cum opio in gr. 45.	}	{	continet Opium gr. 1.
--	---	---	--------------------------

Pulvis e scammonio compositus in gr. 7.	}	{	continet Scammonii gr. 4.
---	---	---	------------------------------

Pulvis e senâ compo- situs in gr. 21.	}	{	continet Senæ gr. 8. Cryſtallorum tartari gr. 8. Scammonii gr. 2.
--	---	---	---

Pulvis e succino com- positus in gr. 40.	}	{	continet Opium gr. 1.
---	---	---	--------------------------

Species e scordio cum opio in gr. 45.	}	{	continent Opium gr. 1.
--	---	---	---------------------------

Pilulæ

Pilulæ ex colocyn-
thide simpliciores } { continent ferè
in 3fs. } { Scammonii ʒfs.
Colocynthis ʒfs.

Pilulæ ex colocyn-
thide cum aloë in
3fs. } { continent ferè
Aloes gr. 8.
Scammonii gr. 8.
Colocynthis gr. 4.

Pilulæ mercuriales in
gr. 28. } { continent
Argenti vivi gr. 15.

Pilulæ saponaceæ in
ʒfs. } { continent ferè
Opī gr. 1.

Pilulæ e styrace in
gr. 5 $\frac{4}{5}$. } { continent
Opī gr. 1.

Electarium e scam-
monio in ʒfs. } { continet
Scammonii gr. 15.

Electarium e scordio
in ʒiii. } { continet
Opī gr. 1.

Confectio paulina in
gr. 32. } { continet
Opī gr. 1.

Mithridatium, five
confectio Damo-
cratis in ʒfs. } { continet
Opī gr. 1.

Philonium Londi-
nense in gr. 36. } { continet
Opī gr. 1.

Theriaca

Theriaca Andromachi in gr. 75. } { continet
Opium gr. i.

In Emplastro ex ammoniaco cum mercurio Argentum vivum est totius pars ferè quinta.

In Emplastro communi cum mercurio Argentum vivum est totius pars ferè quinta.

In Unguento cæruleo fortiori Argentum vivum est totius pars ferè tertia.

In Unguento cæruleo mitiori Argentum vivum est totius pars ferè quinta.

In Cerato mercuriali Argentum vivum est totius pars ferè quinta.

I N D E X

M O R B O R U M

E T

R E M E D I O R U M.

A

A B O R T U S. Decoctum Querci, 5. Pill.
Corroborantes, 24, 65, 125. 180.
Emplastrum Roborans, 48. Elect. Peruv-
ianum, 46. Pulvis Aluminosus, 180.

A B S C E S S U S, Ung. Basilicon Flavum, 72
211. Ung. Detergens & alia Varia, 223.
Balsamum Digestivum, 196. Fomentatio
Communis, 52, 221. Ceratum Turneri,
122, 42.

A C I D I T A T E S, in primis viis. Magnesia Alba,
20. Decoctum Album, 95. Julepum e
Creta, 113. Pulvis Testaceus 131. Tro-
chisci Cardialgicæ, 30. Sales Alkalini fixi.

X

ANGINA.

ALVUS, nimis Restricta. Elect. Aperiens, 6
Infusum Lenitivum, 15. Bolus Saponaceus,
91. Tinct. Hieræ, 189. Magnesia Alba.

ANGINA. Gargarisma, 13. Haustus Cathar-
ticus, 59, 109. Sp. Mindereri, 186.
Trochilci e Nitro, 141.

———— *Putrida* Gargarisma e Contrayerva,
13, 107. Decoct. Peruvianum, 5, 97. Sp.
Mindereri, 186. Bolus Alexiterius 80.
Mistura Cordialis, 120. Gargarisma Alexi-
pharmacum, 52. Gargarisma Antisepticum,
164.

ANOREXIA. Bolus Stomachicus, 2. Infusa
Amara Varia, 57, 110. Tinct. Rhei, 72.
Elixir Vitrioli, 159. Infusum Chamemeli,
58. Tinct. Hieræ, 139, 189.

ANTHRAX. Cataplasma Suppurans, 197,
218. Ceratum Viride, 199. Cataplasma
Emolliens, 219. Ung. Basilicon F. 211.

ANASARCA. Vide Hydrops.

APEPSIA. Bolus e Chamemelo, 84. Bolus
Pepticus, 90. Bolus Saponaceus cum Hiera,
91. Elixir Aloes, 139. Infusa Amara, 57,
110. Pulvis Digestivus, 130. Electarium
Stomachicum, 47. Infusum Chamemeli, 58,
Pill. Stomachicæ, 67. Elect. Bateanum, 157.
Elixir Vitrioli, 159. Tinct. Aurea, 189.
Tinct. Hieræ, 187.

APOPLEXIA.

APOPLEXIA. Sinapismus, 29. Bolus Epilepticus, 86. Vesicatoria, 144, 161. Julapium Volatile, 17. Pulv. Valerianæ, 214. Haustus Nervosus, 75, 167. Enema Catharticum, 162. omnia Volatilia & Stimulantia.

APHTHÆ. Decoctum Ulmi, 45. Gargarismus Aluminosus, 52. Mel Rosarum cum Alumine, 119. Gargarisma Antisepticum, 164.

ARTHRITIS. Bolus e Guaico, 2, 89. Bolus Terebinthinatus, 42. Infusum Amarum, 171, 57. Serum Sinapinum, 132. Tinctura Guaiaci 137. Embrocatio Anodyna 159. Pulvis Doveri, 130.

ARTICULORUM Hydrops. Mistura Discutiens, 205. Ceratum Saponaceum, 200. Embrocatio, 123. Linimentum Bituminosum, 174. Linimentum Oleosum, 19. ——— Volatile, 61. Aqua Marina, &c.

ASTHMA. Mistura ex Ammoniaco, 21. Pill. Scilliticæ, 25, 180. Bol. Scilliticus, 92. Expressio Millepedum, 105. Mistura Asthmatica, 62. Infusum ex Allio, 171. Mistura Expectorans, 21.

ATROPHIA. Elect. Aromaticum, 7. Bolus Saponaceus cum Rheo, 3. Elixir Aloes, 101. Infusa Amara & Tinct. 57, 110, 139, 189. Pill. Ecphracticæ, 125, 65. Tinct. Rhei. 72, 138. Tinct. Hieræ, 189.

ASCITES. Vide Hydrops.

B

BUBONES. Cataplasma Suppurans, 197.
Emp. Mercuriale, 160. et omnes Mercurij
preparationes.

C

CACHEXIA. Elect. Aromatic. cum Chalybe,
7. Bolus Chalybeatus, 84. Hiera Picra,
109. Infusa Amara, 57, 110. Elixir
Vitrioli, 159. Tinct. Rhei, 190, 138, 72.

CALCULUS. Haustus Oleosus cum Manna,
108. Enema Terebinthinatum, 163. Aqua
Calcis Testaceæ, 148. Bolus Saponaceus, 3.
Bolus Nephriticus, 90.

CALVITIES. Tinct. Cantharidum, 30.

CARCINOMA. Fomentatio Cataplasma et
Extractum Cicutæ, 218, 221.

CARDIALGIA. Magnesia Alba, 20. Pulvis
Testaceus, 131. Trochisci Cardialgicæ,
135. Bolus e Chamemelo, 84. Julepum
Cretaceum, 16. Infusum Amarum, 57, 58.
Electarium Stomaticum, 47.

CATAL ESIA.

CATALEPSIA: Pulv. Sternutatorius, 131.
 Bolus Epilepticus, 86. Epispastica 144, 161.
 Tinct. Valerianæ, 140. Bolus e Cinnabare,
 38. Haustus Emeticus, 53.

CATARRHUS. Decoctum Pectorale, 47, 152.
 Haust. Oleosus, 108. Linctus, 18, 119,
 174. Misturæ e Spermat. Ceti, 176. Bolus
 Balsamicus, 83, 40, 36. Emulsio Oleosa,
 103. Linctus Pectoralis, 117. Pill. Bal-
 samicæ, 124. Bolus Pectoralis, 40 Mistura
 Pectoralis, 62. Pillulæ ad Catarrhum, 64.
 Electarium Enulæ Camp. 155.

CATHARTICA Varia, 59. 109. 25, 41, 68,
 92, 126, 176.

CHLOROSIS. Bolus Chalybeatus, 84. Pill.
 Ecphracticæ 65, 125, 177 Tinct. Melam-
 podii 138. Elect. Chalibeatum, 7, 155,
 46. Pill. Chalibeatæ, 177, 126. Tinct.
 Aurea., 189.

CHOLERA morbus, Bolus e Rheo, 2, 41, 91,
 149. Enemata, 11, 50, 104, 161, 162.
 Mist. Salin, 23, 56, 120. Tinct Rhei, 72,
 138, 190. Elect. Stomachicum, 47. Haust.
 Anodynus, 14. Tinct. Sennæ et Hieræ,
 139, 100, 31.

COMBUSTIONES. Ceratum Turneri 42,
 192. Ung. Sambuci, 33. Ung. Refrigerans
 74. Sp. Vini Camphorati, Ph. Lond.

CONVULSIONES. Tinct. Fuliginis, 30. vide pag. 213. Bol. Epilepticus, 86. Julepum Volatile, 17. Pill. e Cinabare 125. Tinct. Valerianæ, 141. Bolus e Moscho, 40. Emplastrum e Galbano, 102.

CRAPULA. Haust. Emeticus, 53. Infusum Menthæ, 15. Infusum e Chamemeli, 58. Infusum Amarum, 57, 110. — Laxativum, 111. Tinct. Hieræ 189.

CONTUSIONES, externæ. Ceratum Saponaceum, 200. Linimentum Saponaceum, 118. ——— Camphoratum, 174. Linimentum Discutiens, 202.

————— *internæ.* Potio Peruviana, 26. Potio Alba, 67. Bolus Balsamicus, 36, 83. Decoctum Traumaticum, 99. Haustus Oleosus, 108.

CORPULENTIA. Expressio Millepedum, 105. Sal Diureticus, 132. Cerevisia Medicata, 150. Pillulæ Ecphracticæ, 65. Acetum Vini Albi.

D

DELIQUIUM animi, Julepum Cardiacum, 113, 17, 59. Tinctura Fuliginis, 189. Sp. Sal. Armon, 17, 59. Sp. Lavend. Co. Sp. C. C. Sp. Sal. Vol. ol &c.

DENTI.

DENTIFRICIA. Pulvis Dentrificus, 209.
Tinctura Corticis Peruv. 136. Tinctura
Myrrhæ, 223.

DIURETICA. Bolus Saponaceus, 3. Sal
Diureticus 135. Haustus Hydragogus, 107.
Pulvis Diureticus, 129. Bolus Terebinthi-
natus, 42. Haustus Diureticus, 58. Pulvis
Nitrosus, 183. Sp. Miredereri, 186. Sp.
Nitri.

DIAPHORETICA. Bolus Alexiterius, 81. Ju-
lepum e Camphora, 112. Pulvis Alexiterius.
128, 67. Bolus Cardiacus, 37. Tinctura
Alexiteria, 79. Haustus e Mithridatio, 167.
Pulvis Doveri, 27. Spiritus Mindereri, 186.

DOLORES, post partum. Bolus Alexiterius
cum Castoreo, 81. Bolus Balsamicus, 83.
Julepum Hystericum, 59. Julepum e Mi-
thridatio et Theriac Andromachi, 115.
Pulvis Alexiterius, 128. Bolus Cardiacus,
37. Haustus e Mithridatio, 167. Julepum
Pulegii, 174.

DOLORES Rheumatici, Linimentum Discu-
tiens, 175, 202. ————Saponaceum, 118.
Bolus e Guaiaco, 2. Emplastrum Ischia-
diacum, 10. Tinct. Guaiaci Vol. 137.
Bolus Terebinthinatus, 42.

DOLORES

DOLORES Excessivi, Fomentatio Papaveris, 12. Cataplasma Anodynum, 197. Fetus e Cicuta, 221. Fetus Communis, 221. Emplastrum Anodynum, 48. Fetus Emolliens, 12. Embrocatio Anodyna, 159.

DEFLUXIONES vide *Catarrhus*, Haustus Anodynus, 14. Pillula Anodyna, 24. Pulvis Pacificus, 26. Bolus Scilliticus, 92. Expressio Millepedum, 105. Pillulæ Catarrhales, 124. Pillulæ Pectorales, 179. Haustus Purgans, 59.

DIABETES. Aqua Liberans, 79. Bolus Aluminosus, 2. Ay Calcis, 217. Elect. Peruvianum 46. Serum Aluminotum, 132. Elixir Vitrioli, 159.

DIARRHOEA. Bolus e Rheo, 2. Elect. Astringens, 7. Bolus Aluminosus, 2. Bolus Astringens, 83. Decoctum Astringens, 56. Tinct. Japonica, 71. Decoctum Campechense, 96. Decoctum Sima Roubæ, 98. Bolus ad Diarrheam, 86. Gelatina ex Amylo, 107. Haustus Emeticus, 53. Mistura Astringens, 63. Decoctum Cretaceum, 151. Enemata, 162, 103, 49, 10. Pulvis Aluminosus, 180.

DIGESTIVA. Balsamum Digestivum, 196. Ung. Basilicon. 211. Ung. Digestiva varia, 224, 72, 74, 144.

DYSENTERIA

DYSENTERIA. Enemata Anodyna, 162, 103, 49, 10. Bolus e Rheo, 41. Decoctum Album, 152. Gelatina Amyli, 107. Haustus Emeticus, 53. Decoctum Cretaceum, 151. Haustus Oleosus cum Rheo, 168. Vitrum Ceratum Antimonii, 185.

DYSURIA. Aqua Hordeata, 79. Mucilago Nephritica, 122. Pulvis Diureticus, 129, Haustus Oleosus, 108. Haustus Refrigerans, 56. Decoctum Purpureum. 151. Pulvis Nitrosus, 183.

E

EMETICA, varia. 93, 112, 121, 167.

ENEMATA, varia. 11, 50, 103 104, 162.

EPILEPSIA. Bolus Epilepticus, 86. Julapum Volatile, 17. Pilulæ e Cinnabare, 125. Tinct. Valerianæ, 141. Haustus Epilepticus, 54. Haustus Nervosus, 75. Electarium Valerianæ, 157. Pilulæ e Sagapeno, 179. Infusum Valerianæ, 58.

ERUCTATIONES. Bolus Stomaticus, 2. Species Aromaticæ, 29. Bolus Pepticus, 90. Electarium Stomaticum 47. Electarium ex Absinthio, 154. Elect. Piperinum, 157.

EXCORATIO.

EXCORIATIO. Ceratum Citrinum, 199.
Ceratum Turneri, 192. Ung. Refrigerans,
74.

EXPECTORANTIA. Electarium e Petroleo,
46. Decoctum Pectorale, 44. Infusum
Cascarillæ, 15. Mistura Expectorans, 21.
Bolus Scilliticus 92. Mistura ex Ammoniaco,
116. Mistura Asthmatica, 120. Mistura
Pectoralis, 62. Electarium Enulæ Camp.
155. Acidum, 114. Phil. ex Ammoni-
aco, 102. Pillulæ Pectorales, 179.

ERISIPELAS. Fodus Emolliens, 12. Fodus
Papaveris, 12. Cataplasma Emolliens, 219.
Unguentum Refrigerans, 74. Cathartica
omnia Refrigerantia.

F

FEBRIS, inflammatoria, Mistura Salina, 120.
Julepum Febrile, 59. Enema Commune
11. Haustus Emeticus, 53. Decoctum
Coccineum, 151. Haustus Salinus 168.
Pulvis Prunellæ, 188. Sp. Mindereri, 205.

FEBRIS, nervosa, Bolus Alexiterius, 81.
Julepum Volatile, 17. Mistura Cordialis,
120. Bolus Cardiacus, 36. Haustus ner-
vosus, 75. Pulvis Alexiterius, 128. Tinct.
Alexiteria, 70. Haustus Camphoratus, 166.
Pulvis

Pulvis Croceus, 182. Julepum e Moscho, 114.

FEBRIS, intermittens, Decoctum Corticis Peruviani, 5, 44, 97, 153. Bolus e Chamemelo Co. 85. Boli Febrifugi varii, 87, 88. Mixtura Febrifuga, 121. Tincturæ Corticis Peruviani, 836. Electarium Peruvianum, 46. Elixir Vitrioli, 159. Electarium Chalybeatum, 155. Tinctura Hiera, 189. Pulvis Chamelinus, 181.

———— *Hætica*, Pectoralia et Balsamica omnia vide Catarrhus, Mistura Peruviana, 26. Potio Capivi, 26. Decoctum Traumaticum, 99. Decoctum Febrifugum, 44. Elixir Vitrioli, 159. Lac Restrings, 60. Decoctum C. C. C. 152. Conserva Rosarum, 4. Julepum e Creta, 113. Decoctum Cretaceum, 151, &c.

FEBRIS, malignans, Bolus e Camphora, 36. Bolus Croceus, 37. Julepum Febrile, 59. Bolus Febrifugus, 87. Julepum e Camphora, 112. Julepum Cardiacum, 120. Mistura Febrifuga, 121. Decoctum Corticis Peruviani, 153. Julepum Acidum, 173. Sp. Mindereri, 186. Acida Mineralia et Vegetabilia, Vina Generosa, &c.

FOMENTATIONES, variae, 12, 51, 52, 106, 164, 203, 221.

FLUOR

FLUOR *albus*. Mistura ex Olibano, 22. Potio Capivi, 26. Pillulæ Corroborantes, 24. Electarium Astringens, 45. Aqua Liberans, 79. Bolus Roborans, 85. Bolus e Copaiva, 85. Potio Alba, 127. Pilulæ Restrictentes, 207. Pil. ex Olibano, 207. Bolus e Sarsaparilla, 209. Injectio ad Fluorem, 205. Tinctura Rhei, 138. Haustus ex Olibano, 55. Tinctura Terræ Japonicæ, 71. et omnia Restrictentia.

G

GARGARISMATA. Decoctum Ulmi, 6, 13, 52, 107, 165, 204.

GONORRHÆA, *Simplex*. Injectio ad Gonorrhæma, 205. Vide fluor Albus.

GONORRHÆA, *virulenta*. Electarium Specificum, 201, 9. Infusum Lenitivum, 15. Mistura Aphrodisiaca, 211. Pilulæ Purgantes cum Mercurio 25. Pilulæ Mercuriales, 206. Bolus Calomelanos, 38, 39, 84, 149. Bolus ad Gonorrhæam, 88. Pilulæ ex Hydrargyro, 126, 178. Injectio Arabica & Aliæ, 173. Pilulæ Terebinthinatæ, 180, 24. Omnia Refrigerantia et Laxativa, Electarium Lenitivum Co. 146.

HEMOR.

H

HÆMORRHAGIA, Venesectio, Elixir Acidum, 100. Tinctura Rosarum, 139. Tinctura Styptica, 140. Decoctum Coccineum, 171. Elixir Vitrioli, 159. Pulvis Aluminosus, 180.

HÆMORRHOIDES. Electarium Hemorrhoidale, 7, 158. Enema Hemorrhoidale, 108. Unguentum Hemorrhoidale, 143. Hirudines parti affectæ.

HÆMOPTOE. Decoctum Traumaticum, 99. Tinct. Rosarum, 139. Tinct. Saturnina, 140. Electarium Peruvianum, 46. Electarium e Spermate Ceti, 158.

HERNIA. Fomentatio Astringens, 51, 106, 203. Emplastra Roborantia, 221, 160, 48. omnia Corroborantia, Fetus Quercinus, 12.

HERNIA HUMORALIS, Cataplasma Discutiens, 219. Unguentum Mercuriale, 143. Bolus emeticus, 39. Fomentatio Communis, 52. Haustus Catharticus, 109. Pulvis Coccineus, 182.

HYDROPHOBIA. Pulvis Antilyssus, 181.

Y

HYDROPS.

HYDROPS. Electarium Hydragogum, 8.
Julepum Hydragogum, 16. Lixivium Di-
ureticum, 20. Serum Sinapium, 29. Bolus
Purgans, 41. Bolus Scilliticus, 92. Ex-
pressio Millepedum, 105. Haustus Hydra-
gogus, 107. Haustus Diureticus, 53. In-
fusum Chamemeli, 58. Electarium Sinapios,
158.

HYSTERICA PASSIO, Elect. e Myrrha, 8.
Mistura Hysterica, 22. Pilulæ Foetidæ, 24,
66, 178. Tinct. Fuliginis, 189. Emplasi-
trum e Galbano, 102. Julepum e Moscho,
124. Lac Assafoetidæ, 117. Tinctura Mar-
tis, 138. Bolus e Myrrha, 140. Infusum
Valerianæ, 58. Julepum Hystericum, 59.
Pilulæ Hystericæ, 66. Haustus Valerianus,
169. Haustus Epilepticus, 54, 75. Julepum
Pulegii, 174. Pilulæ Hystericæ, 125. Pil.
E Sagapeno, 179.

I

ICTERUS, Bolus Saponaceus, 3, 91. Vinum
Aloeticum, 141. Bolus Calomelanos, 84.
Emplastrum e Cymino cum Sapone 101.
Expressio Millepedum, 105. Infusa Amara,
110. Haustus Emeticus, 53. Electarium
Chalybeatum, 46. Haustus Saponaceus, 56,
170. Tinctura Rhei, 138. Tinctura Hieræ,
189. Tartarum Solubile, 135.

ILIACA PASSIO. Infusa et Tinct. Sennæ, 111, 31, 172, 190. Infusum Laxativum, 15. Fomentationes, 12, 221, 163, 164, 106, 52. Enemata, 11, 50, 104. Enema Purgans, 162. Balneum Calidum, et Enemata e vapore Nicotianæ.

IMPETIGO, Ung. Citrinum, 191. Ung. Saturninum 213. Vide Morbi Cutanei.

INDIGESTIO. Haustus Emeticus, 53. Bolus Stomacicus, 2. Electarium Aromaticum, 6. Infusa Amara, 110. Mistura Salina, 23. Pilulæ Rufi, 126. Pilulæ Stomacicæ, 67. Tinctura Aloes, 139. Guttae Stomacicæ, 135. Electarium Stomacicum, 47. Elixir Vitrioli, 159. Electarium ex Abinthio, 154. Electarium Piperinum, 157. Pulvis Stomacicus, 94. Tinctura Rhei, 190. Infusum Chamemeli, 58.

INDURATIO. Linimentum Oleosum, 19. ————— Saponaceum, 118. Cataplasma Discutiens, 4. Linimentum Discutiens, 202. Emplastrum Volatile, 49. Ceratum Saponaceum, 200.

INFLAMMATIO. Cataplasma Anodynum, 197. ————— Emolliens, 219. Mistura Salina, 121. Fomentationes variæ, 52. 106, 164, 165. Haustus Purgans, 59. Unguentum Althææ, 142. Unguentum Refrigerans, 74.

INJECTIONES *Variae*, 173, 205.

ISCHURIA, *Vide Dysuria.*

LETHARGUS: Julepum Volatile, 17. Pulvis Sternutatorius, 131. Sinapismus, 29, 132. Epispastica, 161. omnes preparationes Valerianæ, et omnia Stimulantia, vide Apoplexia.

LUES VENEREA: Bolus Specificus, 3, 149. Electarium Specificum, 9, 201. Mistura Aphrodisiaca, 21. Pilulæ purgantes cum Mercurio, 25. Unguentum Ceruleum, 73. Pilulæ Mercuriales, 206, 178, 177, 126, 127, 124, 66, 65. Fumigatio e Cinnabare, 106. Decoctum Sarsæ, 6. Decoctum Guaici, 152. Decoctum Dieteticum, 44, 98. Pilulæ Alterantes, 64, 127, 177. Æthiops Antimonialis, 77. Pulvis Plummeri, 183.

LUMBAGO. Emplastra Corroborantia, 48, 102, 160. Bolus Saponaceus, 3. Bolus Terebinthinatus, 42.

M

MANIA. Haustus Emeticus 167. Julepum e Camphora, 112. Bolus Camphoratus, 36. Bolus e Moscho, 40. Tinctura Veratri Ph. Lond. et omnes Chalybis preparationes.

MENSIUM, Fluxus Immoderatus, Bolus Aluminosus, 2. Decoctum Astringens, 43, 96. Tinctura Rosarum, 139. Tinctura Styptica, 140. Electarium Peruvianum cum Alumine, 46. Haustus Refrigerans, 56. Julepum Stypticum, 60. Tinctura Japonica, 71. Pilula Anodina, 64. Pulvis Aluminosus, 180. Decoctum Ligni Campechensis, 96. Extractum Campechense, 163.

———— *Suppressis,* Tinctura Martis, 138. Tinctura Melampodii, 138. Tinctura Emmenagoga, 71. Tinctura Aurea, 180. Bolus Chalibeatus, 84, 86, 88. Pilulae Rufi cum Chalybe, 126. Pilulae Chalybeatae, 177. Pilulae Ecphracticæ, 125, 65. Pilulae Fœtidæ Co. 178. Vinum Aloeticum Alkalinum, 141. Bolus Calomelanos, 84. Electarium Aromaticum cum Chalybe, 46, 155, 7. Et omnia Deobstruentia.

MORBI, Cutanei, Unguentum ad Leporam, 32. Ung. Saturninum, 213. Ung. Citrinum, 191. Succus Scorbutici, 133. Sulphur Precipitatum, 134. Decoctum Ulmi, 6. Bolus
Y. 3. Liberans,

Liberans, 85. Infusum Trifolii, 111. Lotio Sulphurata, 61. Tinctura Antimonialis, 188. Aqua Calcis, 217. Decoctum Dieteticum, 44. Pill. Æthiopicae, 206. Unguentum Vitriolatum, 193. Pulvis Plum-meri, 183. Pulvis Antimonialis, 68. Et omnia Mercurialia.

MORBILLI. Pulvis Alexiterius, 128. Haustus Salinus, 168. Pulvis Prunellæ, 183. Mistura e Spermate Ceti, 176. Spiritus Mindereri, 186. Haustus Purgans 109. Decoctum Pectorale, 5.

N

NEPHRITIS. Bolus Saponaceus, 3, 91. Bolus Terebinthinatus, 4. Electarium Nephriticum, 8. Enema Terebinthinatum, 11, 104. Haustus Oleosus cum Manna, 108. Mistura ex oleo Juniperi, 22. Infusio Laxativa, 15. Mucilago Nephritica, 122. Haustus Nephriticus, 54. Aqua Calcis Testaceæ, 148. Bolus Nephriticus, 90. Decoctum Altheæ, 5.

NERVORUM LUXATIO, Cataplasma Dis-
cutiens, 4. Ceratum Saponaceum, 118. Li-
nimentum Camphoratum, 174. Emplastrum
Roborans, 48, 160, 221. Acetum, Aqua
Calcis, 217. Oleum e Pedibus Bovinis.

OCULO

OCULORUM Morbi, Cathartica Omnia,
 Aqua Ophthalmica, 105. Cataplasma Op-
 thalmicum, 198. Collyrium cæruleum, 201.
 Epithema Ophthalmicum, 202. Fomentatio
 Ophthalmica, 203. Fomentatio Emolliens &
 Papaveris, 12. Collyrium Vitriolicum, 95.
 Unguentum Ophthalmicum, 212, 73, 144,
 192.

P

PARALYSIS. Gargarisma ad Paralyfin, 13.
 Infusio Paralytica, 15, 58, 112, 171. Jule-
 pum Volatile, 17, 115. Sinapismus, 29.
 132. Linimentum Discutiens, 210. Metho-
 dus Curandi, 210. Bolus Epilepticus, 86.
 Bolus e Cinnabare, 38. Linimentum Vola-
 tile, 118. Serum Sinapinum, 132. Tinc-
 tura Cort. Peruv. Vol. 136. Tinctura
 Valerianæ Vol, 141. Gargarisma Volatile,
 53. Infusum Valerianæ, 58. Electarium
 Sinapios, 158. Epispastica, Infusum Raphani,
 172. Haustus Nervosus, 75. Tinctura
 Hieræ, 189. Tinctura Fuliginis, 137.

PASSIO, Hypochondriaca, Bolus Stomaticus,
 2. Electarium Aromaticum, 6. Infusum
 Amarum Purgans, 110. Species Aroma-
 ticæ, 29. Tinctura Rhei, 72, 138, 100.
 Tinctura

I N D E X.

Tinctura Hieræ, 189. Pilulæ Stomaticæ,
67. Elect. Chalybeatum, 155. Electarium
Piperinum, 157. Et omnia Carminativa,
Pilulæ Ephrasticæ, 65. Infusum Valerianæ,
58. Pilulæ e Sagapeno, 179. Tinctura
Fuliginis, 189. Omnes preparationes Cor-
ficis Peruviani, Vinum Aloeticum, 141.
Elixir Vitrioli, 159.

PERSPIRATIO *Læsa*, Sp. Mindereri, 205.
Et Diaphoretica omnia.

PLEURITIS. Aqua Hordeata cum Nitro, 79.
Decoctum Traumaticum, 99. Haustus Oleo-
sus, 108. Mistura Febrifuga, 121. De-
coctum Pectorale, 44. Haustus Refrigerans,
56. Mistura Pectoralis, 62, 177. Pulvis
Doveri, 27. Epispasticum Lateri affecto,
Emplastrum e Cymino, 101. Linimentum
Saponaceum, 118. Linimentum Volatile, 61.

PROCIDENTIA Ani, Pulvis ad procidentiam
ani, 130.

R

Rickets
RACHITIS. Magnesia Alba, 20. Species
Aromaticæ, 29. Flores Martiales, 105.
Linimentum Saponaceum, 118. Tartarum
Solubile, 135. Fomentatio, 52. Sp. Vini
Camphorati, 69. Fomentatio Volatilis, 164.
Emplastrum

Emplastrum Roborans, 48. **Tinctura Rhei**, 190.

RAUCEDO, **Decoctum Pectorale**, 44. **Decoctum Furfuris**, 152. **Hauftus Oleofus**, 14, 54, 108, 168. **Decoctum Traumaticum**, 99. **Linctus Lohoch**, 18, 117, 119, 174. **Misura e Spermate Ceti**, 177. **Bolus Balsamicus**, 36, 83. **Pilulæ e Tragacantha**, 127, &c. **Pulvis e Tragacantha**, 131. **Bolus Pectoralis**, 40. **Elect. Pectorale**, 46, 155, 156.

RHEUMATISMUS. **Bolus e Guaico**, 2, 88. ——— **Arthriticus**, 83. **Julepum Volatile**, 17, 115. **Serum Sinapinum**, 29, 132. **Bolus Alterans**, 81. **Cataplasma**, 94. **Pulvis Doveri**, 130. **Tincturæ Guaici**, 137. **Bolus Terebinthinatus**, 42. **Electarium e Scammonio**, 100. **Elect. Guaicinum**, 155. **Elect. Sinapios**, 158. **Embrocatio Anodyna**, 159. **Pilulæ Saponaceæ**, 179. **Sp. Mindereri**, 186.

S

SCABIES. **Unguentum ad Scabiem**, 74, 145, 192. **Lotio Sulphurata**, 61, 119. **Lini-mentum Mercuriale**, 32. **Aqua Camphorata**, 148. **Pulvis Antimonialis**, 68. **Pulvis Plummeri**, 183. **Decoctum Dieteticum**.

cum, 60. Sulphur precipitatum, 71. Lotio
ad Scabiem, 205. Linimentum Album, 61.

SCIATICA. Bolus Arthriticus, 83. Pulvis
Doveri, 27. Bolus e Guaico, 89. Tinctura
Guaici Vol. 137. Serum Sinapium, 132.
Emplastrum Isehiadicum, 10. Sinapismus,
29. Linimentum Discutiens, 102. Lini-
mentum Oleosum, 19. ——— Volatile, 61.
——— Saponaceum, 118.

SCORBUTUS. Unguentum Citrinum, 32.
Pilulæ Æthiopicæ, 206. Unguentum Sa-
turninum, 213. Bolus Alterans, 81. Aqua
Liberans, 79. Infusum Trifolii, 111. Pilulæ
Mercuriales, 126. Succus Scorbutici, 133.
Aqua Calcis, 217. Bolus e Guaico, 39.
Electarium Scorbuticum, 47. Electarium
Alterans, 45. Mercurius Alkalizatus, 62.
Pulvis Antimonialis, 68. Cerevisia Medi-
cata, 150. Pulvis Plummeri, 183. Aqua
Marina, 80. Tinctura Antimonii, 142.
Tinctura Corticis Peruviani, 136.

SCROPHULA. Pulvis Æthiopicus cum Rheo,
26. Methodus Medendi, 214. Æthiops
Vegetabilis, 78. Aqua Marina, 80. Decoct.
Corticis Peruviani, 44. Infusio Trifolii
Palustris, 111. Decoctum Dieteticum, 98.
Bolus ad Strumas, 42. Emplastrum ad
Strumas, 101. Electarium Alterans, 45.
Bolus ad Scrophulam, 93.

SIN-

SINGULTUS. Bolus e Moscho, 40. Julepum e Moscho, 114. Sp. Lavendulæ Co. Mistura ex oleo Juniperi, 22. Oleum Essentiale Cinnamomi.

SPHACELUS. Bolus Febrifugus, 87. Mistura Cordialis, 120. Cataplasma Discutiens, 4, 219. Fomentatio Communis, 221, 164. Balsamum Digestivum, 196. Tinctura Myrrhæ, 211, 223. Unguentum Basilicon Flavum, 211. Unguentum e Pice, 212.

STOMACHICA. Bolus e Chamomelo, 85. Bolus Pepticus, 90. Bolus Saponaceus cum Hiera, 91. Vinum Aloeticum, 141. Infusa Amara, 110. Pilulæ Stomachicæ, 67. Pulvis Digestivus, 130. Pulvis Stomaticus, 94. Electarium Stomaticum, 47. Infusum Chamomeli, 58. Pilula Rufi, 126. Tinct. Hieræ, 189. Elixir Vitrioli Acidum, 159. Electarum Piperinum Bateanum, 157. Haustus Emeticus, 53. Tinctura Rhei, 138.

SUDORES, reprimere, Elixir Vitrioli, 159. Elixir Volatile Acidum, 100. Tinctura Saturnina, 140. Electarium Corticis Peruv. 156. Et omnes Corticis Peruviani preparationes.

SUDORIFICA. Bolus Alexiterius, 81. Bolus Cardiacus, 37. Bolus e Camphora, 36. Julepum e Camphora, 112. Julepum Cardiacum, 113. Tinctura Alexiteria, 70. Pulvis

Pulvis Doveri, 27. Haustus Sudorificus e
Mithridatio, 167. Spiritus Mindereri, 186.

SURDITAS. Mistura Acoustica, 120, 62.

T

TABES NERVOSA, Serum Sinapium, 29.
Bolus Chalybeatus, 84. Infusa Amara, 110.
Tinctura Corticis Peruviani, 136. Elect.
Chalybeatum, 155. Haustus Emeticus, 53.

TENESMUS. Enema Anodynum, 10. Haust.
Anodynus, 14, 53. Mistura e Scordio, 63.
Julepum e Mithridatio, 59. Philonium
Londinense, 123. Vide Dysenteria.

TINEA CAPITIS, Unguentum e Pice, 212,
191. Æthiops Antimonialis, 77. Pilulæ
Æthiopicæ, 206. Unguentum ad Tineam
74.

TORPOR NERVORUM, Linimentum Cam-
phoratum, 174. Unguentum Altheæ, 142.
Oleum e Pedibus Bovinis Sp. Rorismarin.
et Linimentum Saponaceum, 118.

TUMORUM, Suppurantia, Cataplasma Ma-
turans, 191. Emplastrum e Galbano, 160,
161.

I N D E X.

XXV.

102: Cataplasma Commune, 218. Fomentatio, 12, 52, 106, 164.

————— *Discutientia*, Ceratum Saponaceum, 200. Cataplasma Discutiens, 4. Fomentatio Communis, 12. Mistura Discutiens, 205. Linimentum Volatile, 118. Linimentum Camphoratum, 174. Emplastrum Mercuriale, Linimentum Discutiens, 202. Haustus Purgans, 55.

TUSSIS. Vide Catarrhus.

TYMPANITIS. Species Aromaticæ, 20. Electarium e Scammonio, 100. Tinctura Aloes, 139. Bolus Purgans, 80. Enema Anticholicum, 50. Fomentatio Communis, 52. Electarium Sinapinum, 158. Tinctura Sennæ, 190. Electarium e Baccis Lauri, 99.

V

VARIOLÆ, Bolus Alexiterius cum Nitro, 81. Tinctura Rosarm, 139. Bolus ad Variolas, 94. Decoctum Pectorale, 44. Bolus e Camphora, 36. Electarium Cort Peruvian. cum Alumine, 46. Pulvis Coccineus, 182. Haustus Emeticus, 53. Haustus Purgans, 55. Bolus e Calomel, 84. Sp. Vitrioli.

Y

VERMES.

VERMES. Electarium e Stanno, 9. Pulvis Vermifugus, 28, 182. Bolus e Stanno, 41, 89. Mercurius Alkalizatus, 62. Pulvis e Stanno, 185.

VERTIGO. Pilula Rufi, 126. Haustus Emeticus, 53. Tinct. Castor R. Sp. Lavend. Co. Vide Epilepsia.

VOMICA. Potio Capiui, 29. Decoctum Traumaticum, 99. Haustus Oleosus, 168, 108, 54. Potio Peruviana, 128. Bolus Balsamicus, 36. Decoctum Pectorale Ph. Lond. Mistura Pectoralis, 62. Mistura e Spermate Ceti Co. 177. Pilulæ Pectorales, 124. Pulv. e Tragacantha Co. 131.

VOMITIO. Infusum Menthæ, 15. Infusum Chamemeli, 58. Mistura Salina, 23. Haustus Hypnoticus, 14. Infusum Amarum, 100, 110. Julepum e Mentha, 114. Elixir Vitrioli, 159. Haustus Stomaticus, 56.

VULNERA. Fomentatio, 12, 52, 106, 164, 221. Cataplasma commune, 218. Cataplasma Emolliens, 219. Unguentum Basilicon F. 211. Unguentum Detergens, 223. Unguentum Viride, 224. Unguentum e Gum Elemi, 224. Ceratum Turnerii, 42.

ULCERA, vide Vulnera. Electarium Alterativum, 44. Bolus e Calomel, 84. Pilulæ Plumeri, 183. Pilulæ Æthiopicæ, 206. Pilulæ

Pilulæ Alterantes, 64. Haustus Purgans, 168.

ULCERATIONES INTERNÆ, Mistura Peruviana, 26. Bolus Balsamicus, 36, 83. Decoctum Traumaticum, 99. Pilulæ Balsamicæ, 124. Haustus Oleosus, 54. Mistura Pectoralis, 62.

URINÆ ARDOR, *vide Dysuria*.

URINA SANGUINOLENTA, Bolus Aluminosus, 2. Bolus Febrifugus cum Alumine, 87. Tinct. Rosarum, 139. Elixir Vitrioli, 139. Serum Aluminosum, 132. Pulvis Aluminosus, 180.

Z

ZONA IGNEA, Pulvis Purgans, 27. Ceratum Commune, 199. Ceratum Viride, 199. Bolus Alterans, 81. Bolus Liberans, 85. Haustus Purgans, 55. Lotio Sulphuratâ, 119. Succus Scorbutici, 133. Sulphur Precipitatum, *ibid.* Linimentum Album, 117. Ceratum Album, 220. Mercurius Alkalizatus, 62. Decoctum Dieteticum, 44. Aqua Liberans, 79. Unguentum Saturninum, 213. Bolus Calomelanos, 84. *Æthiops Mineralis*, 77.

F I N I S.